



PRODUCT CATALOG

WHEELS · TRACKS · MANHOLE TOOLS

AFTERMARKET PARTS FOR SEWER INSPECTION CRAWLERS

STOP SPINNING YOUR WHEELS. GET MORE FOOTAGE.



TruGrit carbide gritted wheels, tracks and cleats pull through grease, slime and debris. Every part is built for real-world pipe conditions.

★ PROUDLY MADE IN THE USA

FITS CUES / ARIES / ENVIROSIGHT / IBAK / RAUSCH / SUBSITE / MINICAM

CALL OR TEXT **(407) 900-1091**

TRUGRITTRACTION.COM

MEET THE PATENTED TRUGRIT POLY-CARBIDE WHEEL.

The TruGrit® Carbide Grit Camera Crawler Wheel is the world's first polymer carbide grit hybrid wheel, designed to provide maximum pulling power in all pipe types and conditions. Using patented TruGrit® Polymer Carbide Technology, we developed the most innovative aftermarket traction wheel available to the CCTV sewer inspection industry. It delivers the traction varying pipe conditions demand while staying flexible enough to traverse obstacles without damaging the pipe. That flexibility is what sets it apart from the common steel carbide grit wheels on the market today.

**01**

It gains traction without damaging the pipe.

02

It keeps gripping as it wears, because the carbide grit runs all the way to the hub.

03

It fits all major crawler brands with reusable TruGrit hub adapters.

CHOOSE YOUR GRIP

LOOK FOR THESE TAGS ON EVERY PRODUCT PAGE

WHEEL**TruGrit® Wheel**

Our patented polymer carbide hybrid grips in every pipe type and gets better as it wears.

STEEL**TruGrit® STEEL**

Solid steel wheels carry a carbide grit coating, and we can resurface worn ones with new grit.

SPYKE**TruGrit® SPYKE**

The Spyke is the world's first solid steel carbide spiked wheel built to fit multiple crawler brands.


TPU**TruGrit® TPU**

Our most affordable wheel is a durable non-gritted polymer that outlasts standard rubber.

With over 30 years of combined experience engineering and testing pipeline video inspection equipment, TruGrit Traction has developed traction products, such as gritted cleats and carbide gritted wheels, that have proven to optimize the performance of camera transporters and self-propelled lateral reinstatement cutters in varying pipe types and conditions.

TRUGRIT WHEELS WILL NOT DAMAGE THE NEW PIPE LINER.

Choosing a camera transporter can be a daunting task, but choosing its carbide grit wheels is a no-brainer. TruGrit® Carbide Grit Camera Transporter Wheels fit CUES crawlers with standard CUES-style hubs, and they fit Envirosight/iPEK, IBAK/Rapid View and RST crawlers with TruGrit® Hub Adapters.



TRUGRIT WHEELS INSIDE A FRESHLY LINED PIPE

FIND YOUR PART FAST.



05	MANHOLE 8K CAMERA True 8K, 360° manhole inspection	P. 05
06	NEW RELEASES The newest wheels, tools and parts	P. 06
07	TRUGRIT WHEELS Organized by crawler brand	P. 07-15
16	WHEEL KITS Starter kits and complete wheel sets	P. 16-19
20	HUBS AND SPACERS Hub adapters, spacers and spare parts	P. 20-22
23	TRACKS AND TIRES Tracks, cleats, chain, tires, tubes and rims	P. 23-27
28	PIGTAILS AND CABLES Pigtails, Y-cables, motor and tow cables	P. 28-32
33	MANHOLE TOOLS Poles, hooks, rollers, covers and cameras	P. 33-36
37	JETTING AND DEBRIS Nozzle extensions, skids and debris tools	P. 37-38
39	SEWER RODS Continuous, sectional and plumber rod tools	P. 39-47

SHOP BY CRAWLER

WHEELS THAT FIT

CUES	07
ARIES	08
ENVIROSIGHT	09
IBAK	11
RAUSCH	12
SUBSITE	13
MINICAM	14
IST · PEARPOINT · PROKASRO · SCHWALM	15

READING THIS CATALOG

Every product shows its SKU in blue. When a product comes in several sizes or styles, the options are listed under its name, and you choose yours when you order. Every product links to its page on trugrittraction.com.

HOW TO ORDER

- 30-DAY RETURNS
- EXCEEDS OEM SPECS
- FAST SHIPPING
- PURCHASE ORDERS WELCOME

CALL OR TEXT · MON-SUN · 24/7

(407) 900-1091

trugrittraction.com · info@trugrittraction.com



NEW

MANHOLE INSPECTION CAMERA

SEE EVERYTHING. MISS NOTHING.

Manhole 8K is a pole-mounted GoPro MAX 2 inspection system built specifically for confined-space environments. It is the only confined-space inspection camera on the market that captures true 8K video. Its ultra-high-definition 360° footage is formatted for AI-driven defect-coding platforms like SewerAI and other advanced analysis tools.

IN THE KIT

- GoPro MAX 2 360 camera
- Two 775-lumen panoramic light packs with 70-minute runtime
- Pole mount for Jameson-style snap-lock poles



**Manhole 8K, pole
included**

MH8K-QCP

Manhole 8K camera kit

MH8K-1



Scan to see Manhole
8K in action.

manhole8k.trugrittraction.com

NEW RELEASE PRODUCTS



UPGRADE YOUR SEWER GAME.

You can order every new part on this page at trugrittraction.com.

NEW WHEELS

STEEL	10-15" Pipe	SPYKE	4" Pipe	SPYKE	6" Pipe	STEEL	4" Pipe
							
Envirosight Quick Change Compatible WS-1015EQ-SC		Envirosight RX95 Compatible WS-4ERX95-SPK		Envirosight RX95 Compatible WS-6ERX95-SPK		Envirosight RX95 Compatible WS-4ERX95-SC	

NEW TOOLS AND PARTS

TOOL	TOOL	TOOL	TOOL
			
Sewer Extendable Debris Grabber Extendable Retrieval Tool for Sewer Maintenance...	Sewer Invert Shovel with Pole Debris Removal Tool for Sewer and Drain...	Right Hand Coarse Thread Nut for Sewer... Sewer Rod Connection Nut - Right Hand Coars...	Adapter Coupling - Quick Connect Pole t... Quick Connect to Threaded Tool Adapter... ACTA-1

RE-GRIT SERVICE

We can resurface your worn steel wheels with new grit.
Call or visit our website for details.

ALSO NEW

The Manhole 8K pole camera is on page 5.



OUR WHEELS FIT CUES

CRAWLER MODELS

CPR · SPR 1 & 2 · OG Pipe Ranger · LAMP 2

WHEEL FAMILIES

WHEEL

STEEL

SPYKE

TPU

HUB

PIPE SIZE AT TOP RIGHT OF EACH CARD

WHEELS

SPYKE 8"  Universal Fit WS-8UF-SPK	SPYKE 10-15"  Universal Fit WS-1015UF-SPK	STEEL 6"  Cues Compatible WS-6CLW-SC	STEEL 6"  Pearpoint Compatible WS-6PP-SC	STEEL 8"  Cues Compatible WS-8CLW-SC
STEEL 8"  Cues OG Pipe Ranger Compatible WS-8PR-SC	STEEL 8"  Pearpoint Compatible WS-8PP-SC	STEEL 8"  Universal Fit WS-8UF-SC	STEEL 10-15"  TruGrit STEEL Cues Compatible WS-1015CU-SC	STEEL 10-15"  Universal Fit WS-1015UF-SC
WHEEL 6"  Cues Compatible TOM-6CS-TG	WHEEL 8"  Universal Fit TM-8QC-TG	TPU 8"  Universal Fit TM-8QC-NG	HUB 8-24"  Cues Compatible Hub Adapter Set HAS-8-SS	HUB 8-24"  Cues Currahee Compatible Hub Adapter Set HAS-815CR-SS

OUR WHEELS FIT

ARIES

CRAWLER MODELS

Badger · Mini Badger · Pathfinder · TR2000

WHEELS

WHEEL FAMILIES

WHEEL

STEEL

SPYKE

TPU

HUB

PIPE SIZE AT TOP RIGHT OF EACH CARD

SPYKE

8"



Universal Fit
WS-8UF-SPK

SPYKE

10-15"



Universal Fit
WS-1015UF-SPK

STEEL

6"



Aries Compatible
WS-6A-SC

STEEL

8"



Aries Compatible
WS-8A-SC

STEEL

8"



Universal Fit
WS-8UF-SC

STEEL

10-15"



Universal Fit
WS-1015UF-SC

WHEEL

6"



Aries Compatible
TOM-6A3-TG

WHEEL

8"



Universal Fit
TM-8QC-TG

TPU

8"



Universal Fit
TM-8QC-NG

HUB



8 to 10" Aries
Compatible Hub
Adapter Set
HAS-824A-SS

FITMENT

Universal Fit wheels mount on Aries crawlers with a reusable hub adapter set.

ARIES

TRACKS

Aries-compatible STEEL Combo Tracks start on page 23.

P.23

OUR WHEELS FIT

ENVIROSIGHT

CRAWLER MODELS

RX130 · RX125 · RX95 · Supervision

PAGE 1 OF 2

WHEEL FAMILIES

WHEEL

STEEL

SPYKE

TPU

HUB

PIPE SIZE AT TOP RIGHT OF EACH CARD

WHEELS

SPYKE

4"



Envirosight RX95
Compatible
WS-4ERX95-SPK

SPYKE

6"



Envirosight Quick
Change
Compatible
WS-6EQ-SPK

SPYKE

6"



Envirosight RX95
Compatible
WS-6ERX95-SPK

SPYKE

8"



Envirosight Quick
Change
Compatible
WS-8EQ-SPK

SPYKE

8"



Universal Fit
WS-8UF-SPK

SPYKE

10-15"



Envirosight Quick
Change
Compatible
WS-1015EQ-SPK

SPYKE

10-15"



Universal Fit
WS-1015UF-SPK

STEEL

4"



Envirosight RX95
Compatible
WS-4ERX95-SC

STEEL

6"



Envirosight
Compatible
WS-6ES-SC

STEEL

6"



Envirosight Quick
Change
Compatible
WS-6EQ-SC

STEEL

6"



Envirosight RX95
Compatible
WS-6ERX95-SC

STEEL

8"



Envirosight Quick
Change
Compatible
WS-8EQ-SC

STEEL

8"



Universal Fit
WS-8UF-SC

STEEL

10-15"



Envirosight Quick
Change
Compatible
WS-1015EQ-SC

STEEL

10-15"



Universal Fit
WS-1015UF-SC

OUR WHEELS FIT

ENVIROSIGHT

CRAWLER MODELS

RX130 · RX125 · RX95 · Supervision

PAGE 2 OF 2

WHEELS

WHEEL FAMILIES

WHEEL

STEEL

SPYKE

TPU

HUB

PIPE SIZE AT TOP RIGHT OF EACH CARD

WHEEL

6"



Envirosight
Compatible
TOM-6ES-TG

WHEEL

6"



Envirosight
Compatible
TOM-6ES-TG-1

WHEEL

8"



Universal Fit
TM-8QC-TG

TPU

8"



Universal Fit
TM-8QC-NG

HUB

8"



Envirosight
Compatible Hub
Adapter Set
HAS-ES8-SS

FITMENT

Quick Change
wheels plug
into Envirosight
Quick Change
hubs with no
adapter.

ENVIROSIGHT P.20

HUB ADAPTERS

Reusable
TruGrit hub
adapters and
spacers start
on page 20.

P.20

OUR WHEELS FIT

IBAK

CRAWLER MODELS

T66 · T76 · T86 · PANO 2

WHEEL FAMILIES

WHEEL

STEEL

SPYKE

TPU

HUB

PIPE SIZE AT TOP RIGHT OF EACH CARD

WHEELS

SPYKE

8"



Universal Fit
WS-8UF-SPK

SPYKE

10-15"



Universal Fit
WS-1015UF-SPK

STEEL



IBAK T66
Compatible ·
Lined 8" Pipe
WS-8BK66-SC

STEEL

6"



IBAK T66
Compatible
WS-6BK66-SC

STEEL

6"



IBAK T76
Compatible
WS-6BK-SC

STEEL

8-10"



IBAK T66
Compatible
WS-810BK66-SC

STEEL

8"



Universal Fit
WS-8UF-SC

STEEL

10-15"



Universal Fit
WS-1015UF-SC

WHEEL

6"



IBAK Compatible
TOM-6BK-TG

WHEEL

8"



Universal Fit
TM-8QC-TG

TPU

8"



Universal Fit
TM-8QC-NG

FITMENT

Universal Fit
wheels mount
on IBAK
crawlers with a
reusable TruGrit
hub adapter.

IBAK

HUB ADAPTERS

Reusable
TruGrit hub
adapters and
spacers start
on page 20.

P.20



OUR WHEELS FIT

RAUSCH

CRAWLER MODELS
L135

WHEELS

WHEEL FAMILIES

WHEEL

STEEL

SPYKE

TPU

HUB

PIPE SIZE AT TOP RIGHT OF EACH CARD

STEEL

6"



RAUSCH
Compatible
WS-6RH-SC

STEEL

8"



Rausch
Compatible
WS-8RH-SC

WHEEL

6-8"



Rausch
Compatible
HAS-68RH-TG

WHEEL

6"



Rausch
Compatible
TOM-68RH-TG

FITMENT

Rausch-
compatible
wheels bolt
straight onto
the L135.

RAUSCH

HUB ADAPTERS

Reusable
TruGrit hub
adapters and
spacers start
on page 20.

P.20

OUR WHEELS FIT

SUBSITE

CRAWLER MODELS

RST · Transtar · Transtar 2 · Pro Trak

WHEEL FAMILIES

WHEEL

STEEL

SPYKE

TPU

HUB

PIPE SIZE AT TOP RIGHT OF EACH CARD

WHEELS

SPYKE

8"



Universal Fit
WS-8UF-SPK

SPYKE

10-15"



Universal Fit
WS-1015UF-SPK

STEEL

8"



Universal Fit
WS-8UF-SC

STEEL

10-15"



Universal Fit
WS-1015UF-SC

WHEEL

8"



Universal Fit
TM-8QC-TG

TPU

8"



Universal Fit
TM-8QC-NG

HUB

8"



RST Compatible
Hub Adapter Set
(2-Pin)
HAS-8RT-SS-3

FITMENT

Universal Fit
wheels mount
on Subsite
(RST) crawlers
with the 2-pin
hub adapter
set.

SUBSITE

TRACKS

Subsite-
compatible
STEEL Combo
Tracks start on
page 23.

P.23

OUR WHEELS FIT

MINICAM

CRAWLER MODELS

Proteus

WHEELS

WHEEL FAMILIES

WHEEL

STEEL

SPYKE

TPU

HUB

PIPE SIZE AT TOP RIGHT OF EACH CARD

SPYKE

8"



Universal Fit
WS-8UF-SPK

SPYKE

10-15"



Universal Fit
WS-1015UF-SPK

STEEL

8"



Universal Fit
WS-8UF-SC

STEEL

10-15"



Universal Fit
WS-1015UF-SC

WHEEL

8"



Universal Fit
TM-8QC-TG

TPU

8"



Universal Fit
TM-8QC-NG

HUB



Hub Adapter Set
HAS-824PT-SS

FITMENT

Universal Fit wheels mount on the Proteus with a reusable hub adapter set.

MINICAM

HUB ADAPTERS

Reusable TruGrit hub adapters and spacers start on page 20.

P.20



WHEELS FOR IST, PEARPOINT, PROKASRO, SCHWALM

ALL OTHER OEM

WHEEL FAMILIES

WHEEL

STEEL

SPYKE

TPU

HUB

PIPE SIZE AT TOP RIGHT OF EACH CARD

WHEELS

STEEL 6-8"  IST Compatible WS-68ST-SC	STEEL 8-15"  IST Compatible WS-815ST-SC	STEEL 6"  Pearpoint Compatible WS-6PP-SC	STEEL 8"  Pearpoint Compatible WS-8PP-SC	HUB  Hub Adapter Set HAS-810PK-SS
STEEL 6"  Schwalm Compatible WS-6SW-SC	STEEL 8"  Schwalm Compatible WS-8SW-SC			

COMPLETE WHEEL SETS

WHEEL KITS

Order a full set of TruGrit wheels for your crawler under one SKU.

PAGE 1 OF 4

KITS

SPYKE

**TruGrit SPYKE**

4 Wheel Base Kit · 8" Pipe

WSK-8UF-4SPK

STEEL

**TruGrit Steel**

4 Wheel Base Kit · 8" Pipe

WSK-8UF-4SC

SPYKE

**TruGrit SPYKE**4 Wheel Base Kit ·
Universal Fit · 10-15" Pipe**WSK-1015UF-4SPK**

STEEL

**TruGrit Steel**4 Wheel Base Kit ·
Universal Fit · 10-15" Pipe**WSK-1015UF-4SC**

STEEL

**TruGrit STEEL**4 wheel Kit · Cues
Compatible · 10"-15" Pipe**Order by name**

SPYKE

**TruGrit SPYKE**

6 Wheel Base Kit · 8" Pipe

WSK-8UF-6SPK

STEEL

**TruGrit Steel**

6 Wheel Base Kit · 8" Pipe

WSK-8UF-6SC

WHEEL

**TruGrit®**

6 Wheel Base Kit · 8" Pipe

CWK-8QC-TG

COMBO

**TruGrit® Combo**

6 Wheel Base Kit · 8" Pipe

CWK-8QC-TGSC


TPU

**TruGrit® TPU**

6 Wheel Base Kit · 8" Pipe

CWK-8QC-NG

STEEL

**Steel Wheel Kit**8" Pipe · Aries Badger
Compatible**WSK-8A-SC-B**

STEEL

**Steel Wheel Kit**8" Pipe · Aries Pathfinder
Compatible**WSK-8A-SC-P**

COMPLETE WHEEL SETS

WHEEL KITS

Order a full set of TruGrit wheels for your crawler under one SKU.

PAGE 2 OF 4

STEEL

**Steel Wheel Kit**8" Pipe · Rausch
Compatible**WSK-8RH-SC**

WHEEL

**TruGrit® Starter Kit**Aries Badger Compatible ·
8" Pipe**ASK-8QC-TG-3001**

WHEEL

**TruGrit® Starter Kit**Aries Pathfinder TR3300
Compatible · 8" Pipe**ASK-8QC-TG-3300**

STEEL

**TruGrit Steel Wheel Kit**

Cues Compatible · 6" Pipe

WSK-6CLW-SC

STEEL

**TruGrit Steel Wheel Kit**

Cues Compatible · 8" Pipe

WSK-8CLW-SC

WHEEL

**TruGrit® Starter Kit**

Cues Compatible · 8" Pipe

CSK-8QC-TG

STEEL

**TruGrit Steel Wheel Kit**Envirosight Compatible · 6"
Pipe**WSK-6ES-SC**

COMBO

**TruGrit® Combo Starter
Kit**Envirosight Compatible · 8"
Pipe**ESK-8QC-TGSC**

STEEL

**TruGrit® STEEL Starter
Kit**Envirosight Compatible · 8"
Pipe**ESK-8UF-SC**

WHEEL

**TruGrit® Starter**Envirosight Compatible · 8"
Pipe**ESK-8QC-TG**

TPU

**TruGrit® TPU Starter Kit**Envirosight Compatible · 8"
Pipe**ESK-8QC-NG**

SPYKE

**TruGrit SPYKE Wheel Kit**Envirosight Quick Change
Compatible · 10-15" Pipe**WSK-1015EQ-SPK-1**

COMPLETE WHEEL SETS


WHEEL KITS

Order a full set of TruGrit wheels for your crawler under one SKU.

PAGE 3 OF 4

KITS

SPYKE

**TruGrit SPYKE Wheel Kit**

Envirosight Quick Change
Compatible · 6" Pipe

WSK-6EQ-SPK

STEEL

**TruGrit STEEL Wheel Kit**

Envirosight Quick Change
Compatible · 6" Pipe

WSK-6EQ-SC

SPYKE

**TruGrit SPYKE Wheel Kit**

Envirosight Quick Change
Compatible · 8" Pipe

WSK-8EQ-SPK

STEEL

**TruGrit STEEL Wheel Kit**

Envirosight Quick Change
Compatible · 8" Pipe

WSK-8EQ-SC

STEEL

**TruGrit Steel Wheel Kit**

IBAK T66 Compatible · 6"
Pipe

Order by name

STEEL

**TruGrit Steel Wheel Kit**

IBAK T76 Compatible · 6"
Pipe

WSK-6BK-SC

COMBO

**TruGrit® Combo Starter**

IBAK T76 Compatible · 8"
Pipe

BSK-8QC-TGSC

STEEL

**TruGrit® STEEL Starter**

IBAK T76 Compatible · 8"
Pipe

BSK-8UF-SC

WHEEL

**TruGrit® Starter Kit**

IBAK T76 Compatible · 8"
Pipe

BSK-8QC-TG

TPU

**TruGrit® TPU Starter Kit**

IBAK T76 Compatible · 8"
Pipe

BSK-8QC-NG

COMBO

**TruGrit® Combo Starter Kit**

Minicam Proteus
Compatible · 8" Pipe

MSK-8QC-TGSC

WHEEL

**TruGrit® Starter Kit**

Minicam Proteus
Compatible · 8" Pipe

MSK-8QC-TG

COMPLETE WHEEL SETS

WHEEL KITS

Order a full set of TruGrit wheels for your crawler under one SKU.

PAGE 4 OF 4

COMBO



TruGrit Combo Starter Kit

RST Transtar Compatible ·
8" Pipe

TSK-8QC-TGSC

STEEL



TruGrit® STEEL Starter Kit

RST Transtar Compatible ·
8" Pipe

TSK-8QC-SC

WHEEL



TruGrit® Starter Kit

RST Transtar Compatible ·
8" Pipe

TSK-8QC-TG

WHEEL



TruGrit Starter Kit for 6-8" Pipe

Rausch Compatible

RSK-68RH-TG

FIT TRUGRIT TO EVERY CRAWLER

HUBS & SPACERS

Reusable TruGrit hub adapters let our wheels fit all major crawler brands.

PAGE 1 OF 3

HUB



8 to 10" Aries Compatible Hub Adapter Set

HAS-824A-SS



Envirosight Compatible Spare Parts

KS-4-E



IBAK Compatible Spare Parts for Nano-L Mini Pan and Tilt Camera

KS-2-BK



IBAK Compatible Spare Parts for Orion-L Mini Pan and Tilt Camera

KS-1-BK

HUB



Spacer

1 inch · Cues Compatible
SP-100CU-SS

HUB



Spacer

1/2 inch · Cues Compatible
SP-50CU-SS


HUB



Spacer

1/4 inch · Cues Compatible
SP-25CU-SS-1

HUB



Inner Hub Spacer

12"-24" Pipe · Aries Compatible
HA-12A-SS

HUB



Aries Compatible Inner Hub Adapter

6" Pipe
HA-6A-SS

HUB



Aries Compatible Inner Hub Adapter

8-10" Pipe
HA-824A-SS

HUB



Hub Adapter Set

8-24 Inch Pipe · Proteus Compatible
HAS-824PT-SS

HUB



Aries Compatible Outer Hub Adapter

8-24" Pipe
HC-824A-SS

FIT TRUGRIT TO EVERY CRAWLER

HUBS & SPACERS

Reusable TruGrit hub adapters let our wheels fit all major crawler brands.

PAGE 2 OF 3

HUB



Cues Compatible Inner Hub Adapter

8-24" Pipe
HA-815-SS

HUB



Schwalm Compatible Hub Adapter

8-24" Pipe
Order by name

HUB



CUES Compatible Original Pipe Ranger & UEMSI Prowler Hub...

8" Pipe
HC-8CU-SS

HUB



Cues Compatible Outer Hub Adapter

8" Pipe
HC-8CT-SS

HUB



Envirosight Compatible Hub Adapter Set

8" Pipe
HAS-ES8-SS

HUB



Envirosight Compatible Inner Hub Adapter

8" Pipe
HA-ES8-SS

HUB



Envirosight Compatible Outer Hub Adapter

8" Pipe
HC-ES8-SS

HUB



RST Compatible 1/2" Axle Inner Hub Adapter

8" Pipe
HA-RT8-SS-2

HUB



RST Compatible 3/8" Axle Inner Hub Adapter

8" Pipe
HA-RT8-SS-1

HUB



RST Compatible Hub Adapter Set (2-Pin)

8" Pipe
HAS-8RT-SS-3

HUB



RST Compatible Inner Hub 2-Pin Adapter

8" Pipe
HA-RT8-SS-3

HUB



RST Compatible Outer Hub Adapter

8" Pipe
HC-RT8-SS

FIT TRUGRIT TO EVERY CRAWLER

HUBS & SPACERS

Reusable TruGrit hub adapters let our wheels fit all major crawler brands.

PAGE 3 OF 3

HUB



Cues Compatible Hub Adapter Set

8"-24" Pipe
HAS-8-SS

HUB



Cues Currahee Compatible Hub Adapter Set

8"-24" Pipe
HAS-815CR-SS

HUB



Bore Seal Wear Sleeve

CR 4925
CR4925

HUB



6" Hub Adapter

Envirosight Compatible
HA-6ES-SS

HUB



Spacer

Envirosight Compatible
SP-1018-ES

HUB



Hub Adapter

IBAK Compatible
HC-818BK-SS

HUB



Hub Adapter Set

Prokasro Compatible ·
Universal fit 8"-24" Pipe
HAS-810PK-SS

HUB



Inner Adapter

Proteus Compatible
HA-8PT-SS

HUB



8 Inch Inner Adapter

Rausch Compatible
HA-8RH-SS

OUR TRACKS FIT ARIES, CUES AND SUBSITE.

TRACKS & TIRES

We carry gritted STEEL cleats, treaded tracks, chain parts, tires, tubes and rims.

PAGE 1 OF 5



FEATURED PRODUCT

TRUGRIT® STEEL COMBO TRACKS

TruGrit® STEEL Combo Tracks are the best bang for the buck, with the best traction and longest wear life of any tracks we sell. Their softer rubber cleats outlast standard rubber cleats, and a handful of solid STEEL cleats coated with tungsten carbide grit on each side cuts through the grease to get you to that last manhole.

- Nickel chain resists corrosion and stretching.
- Custom lengths are available upon request.

TREADED



Treaded Tracks, 21 Cleat

Aries Compatible · #35
Chain Pair
CPA-3521-TR

COMBO



TruGrit STEEL Combo Tracks

29 cleat · Aries Compatible
CPA-3529-CC

COMBO



TruGrit® STEEL Combo Tracks

30 cleat (PAIR)
CPA-3530-SC

RUBBER



Maximum Grip Rubber Tracks, 30 Cleat

Cues Compatible · #35
Chain Pair
CPA-3530-SR

TREADED



Treaded Tracks, 30 Cleat

Cues Compatible · #35
Chain Pair
CPA-3530-TR

COMBO



TruGrit® STEEL Combo Treaded Tracks

30 cleat (PAIR)
CPA-3530-TRSC

COMBO



TruGrit® STEEL Combo Tracks

38 cleat (PAIR)
CPA-3538-SC

RUBBER



Maximum Grip Rubber Tracks, 38 Cleat

Cues Compatible · #35
Chain Pair
CPA-3538-SR

OUR TRACKS FIT ARIES, CUES AND SUBSITE.

TRACKS & TIRES

We carry gritted STEEL cleats, treaded tracks, chain parts, tires, tubes and rims.

PAGE 2 OF 5

TREADED



Treaded Tracks, 38 Cleat

Cues Compatible · #35
Chain Pair

CPA-3538-TR

COMBO



TruGrit® STEEL Combo Treaded Tracks

38 cleat (PAIR)

CPA-3538-TRSC

TREADED



45-Cleat Treaded Chain Assembly (Pair)

CPA-3545-TR

COMBO



TruGrit® STEEL Combo Tracks

47 cleat (PAIR)

CPA-3547-SC

RUBBER



Maximum Grip Rubber Tracks, 47 Cleat

Cues & Aries Compatible ·
#35 Chain Pair

CPA-3547-SR

TREADED



Cues & Aries Compatible 47 Treaded Tracks- #35 Chain (Pair)

CPA-3547-TR

COMBO



TruGrit® STEEL Combo TREADED Tracks

47 cleat (PAIR)

CPA-3547-TRSC

COMBO



TruGrit STEEL Combo Tracks

50 Cleat · Aries Compatible

CPA-3550-CC

RUBBER



Maximum Grip Rubber Tracks, 50 Cleat

Aries Compatible · #35
Chain Pair

CPA-3550-SR

RUBBER



Maximum Grip Rubber Tracks, 51 Cleat

Aries Compatible · #35
Chain Pair

CPA-3551-SR

TREADED



Treaded Tracks, 51 Cleat

Aries Compatible · #35
Chain Pair

CPA-3551-TR

TREADED



Treaded Tracks, 54 Cleat

Aries Compatible · #35
Chain Pair

CPA-3554-TR

OUR TRACKS FIT ARIES, CUES AND SUBSITE.

TRACKS & TIRES

We carry gritted STEEL cleats, treaded tracks, chain parts, tires, tubes and rims.

PAGE 3 OF 5

TREADED



68-Cleat Treaded Chain Assembly (Pair)

CPA-3568-TR

CLEAT



Smooth Tracks, 36 Cleat

RST Compatible · #40 chain Pair

CPA-4036-SR

CLEAT



Smooth Tracks, 47 Cleat

RST Compatible · #40 chain

CPA-4047-SR

RUBBER



Max Grip Rubber Cleat For #35 Chain

CR-35-SR

RUBBER



Rubber Cleat

#40 chain · RST/Subsite Compatible

CR-40-SR

TREADED



Treaded Cleat For #35 Chain

CT-35-TR

TREADED



Treaded Cleat w/ Master Link For #35 Chain

CT-35M-TR

GRITTED



TruGrit® STEEL Carbide Gritted Cleat For #35 Chain

CLT-4-SC

TREADED



TruGrit® STEEL Carbide Gritted Cleat For #35 Chain

Treaded

CLT-35TR-SC

CHAIN



Master Link For #40 Chain

ML-40

CHAIN



Nickle Plated Half Link For #35 Chain

HL-35-NP

CHAIN



Nickle Plated Master Link For #35 Chain

ML-35-NPD


OUR TRACKS FIT ARIES, CUES AND SUBSITE.

TRACKS & TIRES

We carry gritted STEEL cleats, treaded tracks, chain parts, tires, tubes and rims.

PAGE 4 OF 5

PART



TruGrit Depth

TG-D-1

RIM



Inner Rim for 150-200mm Pneumatic Tire

RP-1518UF-AL

RIM



Outer Rim for 150-200mm Pneumatic Tire

RP-1518H0-AL

RIM



Rim, Pneum, 4.1 Hub x 4"W

RP-4104

TIRE



Tire, Pneumatic 12" x 4 V

TP-4004V

TIRE



Tire, Pneumatic, 150mm D x 50mm W

TP-15050

TIRE



Tire, Pneumatic, 175mm D x 50mm W

TP-17550

TIRE



Tire, Pneumatic, 200mm D x 50mm W

TP-20050

TIRE



Tire, Pneumatic, 4.1 Hub x 4"W

TP-4104

TUBE



Tire, Tube & Rim Assembly

150mm
RTA-150

TUBE



Tire, Tube & Rim Assembly

175mm
RTA-175UF

TUBE



Tire, Tube & Rim Assembly

200mm
RTA-200UF

OUR TRACKS FIT ARIES, CUES AND SUBSITE.

TRACKS & TIRES

We carry gritted STEEL cleats, treaded tracks, chain parts, tires, tubes and rims.

PAGE 5 OF 5

TUBE



**Tube, 150mm D x 50mm
W**

TU-15050

TUBE



**Tube, 175mm D x 50mm
W**

TU-17550

TUBE



**Tube, 200mm D x 50mm
W**

TU-20050

TUBE



Tube, 4.1 x 4

TU-4104

CONNECT AND TOW WITH CONFIDENCE

PIGTAILS & CABLES

We stock pigtails, adapters, connectors and tow cables for CUES, Aries and RST crawlers.

PAGE 1 OF 5



PHOTO
COMING SOON

**160529R- Female Body-
w/4-pins**

160529R



PHOTO
COMING SOON

**160537R-Male body-w/4
sockets**

160537R



**3 Pin Straight Male 7/8"
Mini-Fast Single Ended
Connector**

RSM-30



**3 pin male Turck
connector to 6 pin
female Turck connector**

RAC-806-30631



**3 pin straight female
7/8" mini-fast single
ended connector**

RAC-RKM-30



**4 pin straight female M8
picofast single ended
connector**

RAC-PKG-4M



**5 pin straight female
7/8" mini-fast single
ended connector**

RAC-RKM-50



**5 pin straight male 7/8"
mini-fast single ended
connector**

RAC-RSM-50



**5 pin straight male M12
Eurofast single ended
connector**

RAC-RSC-4.5T



**6 pin female Turck
connector to 4 pin male
connector assembly**

RAC-806-34469



**6 pin female Turck
connector to TNC male
coaxial assembly**

RAC-806-19668



**6 pin straight female
7/8" mini-fast single
ended connector**

RAC-RKM-61

CONNECT AND TOW WITH CONFIDENCE

PIGTAILS & CABLES

We stock pigtails, adapters, connectors and tow cables for CUES, Aries and RST crawlers.

PAGE 2 OF 5



6 pin straight male 7/8" mini-fast single ended connector

RAC-RSM-61



Cues Compatible 60 Inch Coated Stainless Steel Tow Cable (PAIR)

TCS-60-SS



Cues Compatible Lifting Strap

LS-LM-2



PHOTO
COMING SOON

Replacment Cable (Yellow) for part 841261

AC-1605580



Splice Termination Scotchcast Kit

82-F1



Strain Relief Fitting, 1/2" NPT

CHW-1333



PHOTO
COMING SOON

Strain relief-pigtail end

CHW-1454



Pigtail

12 Pin · Aries Compatible

AC-160559



Pigtail

12 Pin · Cues Compatible

CAC-770001



160560

12- pin female used with
841261 · Aries Compatible

AC-160560



Adapter Cable

12-7-5 Pin · Aries
Compatible

AC-841261



Dummy Plug

12-Pin

160553-12

CONNECT AND TOW WITH CONFIDENCE

PIGTAILS & CABLES

We stock pigtails, adapters, connectors and tow cables for CUES, Aries and RST crawlers.

PAGE 3 OF 5



Tiger Tail

2" x 36"

TT-236



Pigtail

3 Pin Male · Cues & RST
Compatible

CAC-160532



Pigtail

3 Pin · Cues & RST
Compatible

CAC-160531



Tiger Tail

3" x 36"

TT-336



Motor Cable

4-Pin · Cues Compatible

CMC-236



Y-Eliminator

5-Pin · Cues Compatible

CMC-233



Y-Eliminator With Tap

5-Pin · Cues Compatible

CMC-418



Aries Compatible Cable

713395

AC-713395



Aries Compatible Adapter Cable

841057

AC-841057



Aries Compatible Cable

841501

841501



Adapter Cable

Aries Compatible · 841617

AC-841617



Adapter Cable

Aries Compatible · 841767

AC-841767

CONNECT AND TOW WITH CONFIDENCE

PIGTAILS & CABLES

We stock pigtails, adapters, connectors and tow cables for CUES, Aries and RST crawlers.

PAGE 4 OF 5



Lateral Launcher Chute

Aries LE3260/70
Compatible · 590440
ALC-590440



Lateral Launcher Chute

Aries LE3260/70
Compatible · 590441
ALC-590441



12 pin connector

Aries Pathfinder
Compatible · 809227
809227



Y-Eliminator

Compatible w/Cues Pipe
Ranger
CWT-311



Tow Cables (pair)

Compatible with ARIES
TR3300
TCS-13-SS



Tow Cables (tethered pair)

Compatible with Cues
CPR, SPR & LAMP2
TCD-39-SS



Tow Cables (tethered pair)

Compatible with Cues
LAMP 2 including rear...
TCD-47-SS



12-5-4 Molded Cable End Adapter

Cues & Aries Compatible
CAC-TR317



12-5-4-3 Cable End Adapter

Cues / Logiball Compatible
CAC-SS301



Locking Cable Connector

Cues CPR Compatible
LC-CPR-SS



12 Pin to 8 Pin

Cues Compatible
CAC-TX343



12-5-4 Cable End Adapter

Cues Compatible
CAC-1650120

CONNECT AND TOW WITH CONFIDENCE

PIGTAILS & CABLES

We stock pigtails, adapters, connectors and tow cables for CUES, Aries and RST crawlers.

PAGE 5 OF 5



C-MZ 341 Replacement Pigtail

Cues Compatible

C-MZ341



Splice Chamber

Cues Compatible

CRP-017



Locking Cable Connector

Cues Pipe Ranger
Compatible

LC-SPR-SS



Tiger Tail

Heavy Duty · 2" x 36"

TT-336-HD



Aries Compatible Cable

Loopless · 841755


AC-841755



841804

Replacement Cable
(orange) · Aries Compatible

AC-841804



JETTER CAMERA GP-5K

GP SEWER CAM

- It delivers 5K-equivalent picture quality with GoPro® technology inside.
- Its Tier 2 nozzle is built to your jetter's specs.
- It fits 6" to 18" pipe and is built from Type 304 stainless steel.



Adapter Coupling – Quick Connect Pole to Threaded Tool

ACTA-1




Max-Claw Complete Sewer Debris Removal Tool with Extendable Pole

MCLAW




Pole

QCP-6 Fiberglass · 6' Quick Connect



Pole

CP-5-SC Fiberglass · Cues Compatible · Heavy Duty Steel Collars




Pole

CP-5-AC Fiberglass · Cues Compatible · Light Duty Aluminum Collars




Pole

QCP-6F Foam Filled Fiberglass · 6' Quick Connect



Pole

CP-5-FFSC Foam Filled Fiberglass · Cues Compatible · Heavy Duty Steel Collars



Pole

CP-5-FFAC Foam Filled Fiberglass · Cues Compatible · Light Duty Aluminum Collars



Sewer Invert Shovel with Pole

Pole Type: Fiberglass Standard (Hollow), Steel Reinforced Fiberglass, Wooden; Size: 6' Pole, 12' Pole, 24' Pole



Sewer Wooden Pole with Quick Connect Ends

Size: 6' Wooden Pole with MXF Ends, 12' Wooden Pole (2 Poles Of 6ft.)(MXF Ends), 24' Wooden Pole (2 Poles Of 12ft.)(MXF Ends)



Sewer Wooden Pole with Threaded Ends

Size: 6' Wooden Pole with MXF Ends, 12' Wooden Pole (2 Poles Of 6ft.)(MXF Ends), 24' Wooden Pole (2 Poles Of 12ft.)(MXF Ends)



Steel Threaded Couplings (3/4" NPT) – Fiberglass Sewer Poles

Type: Set, - Male, - Female



Telescopic Extension Sewer Pole – Quick Connect (7-14 ft)
MXT-714



Captain Hook Style Manhole Hook with Triangle Handle
MSRH-1



City Style Manhole Hook with "O" Handle
CSO-1



City Style Manhole Hook with "T" Handle
CST-1



Lifting Hook
CH-F-1 Fixed · Push-Button Connection



Lifting Hook
CH-S Swivel · Push-Button Connection



Lifting Hook
CH-S-QC Swivel · Quick-Connect



Manhole Hook
MH-36 36"



Manhole Hook
MH-36F 36" · Lay Flat Style



Sewer Camera Hook with Coupling
Style: Quick Connect, Double Button, Threaded



Sewer Grappling Hook with 25 ft Poly Rope
MMH-1



Sewer Swivel Camera Hook with Coupling
Style: Quick Connect, Double Button, Threaded



Water Meter Hook & Key
WMK-1



Downhole Roller
DRQC-S30 Powder Coated Steel · Quick Connect



Extendable Manhole Sewer Hose Guide With Roller
EXR-1



Powder Coated Down Hole Sewer Guide With Roller
M730



Top Aluminium Manhole Sewer Hose Guide With Roller

Style: Nylon, Aluminium



Top Manhole Roller

TMR-AL



Top Safety Manhole Roller

TSR-S2026



Upper Steel Manhole Sewer Hose Guide With Roller

Style: Nylon, Aluminium




Manhole Safety Cover

MSR-2026A Center Roller: Aluminum, Nylon



Manhole Safety Cover

MSR-2634A Center Roller: Aluminum, Nylon



Light Ring

MHLR-2230



Sewer Invert Shovel with Coupling

Style: Quick Connect, Double Button, Threaded



Debris Scoop

DSC-8-QC Quick Connect - 8"



3 Prong Sewer Debris Grabber with Coupling

Style: Quick Connect, Double Button, Threaded



4 Prong Sewer Debris Grabber with Coupling

Style: Quick Connect, Double Button, Threaded



Sewer Debris Grabber with Coupling

Style: Quick Connect, Double Button, Threaded



Sewer Horse Shoe Grabber with Coupling

Style: Quick Connect, Double Button, Threaded



Sewer Hose Grabber with Coupling

Style: Quick Connect, Double Button, Threaded



3 Prong 90 Degree Rake for Sewer Cleaning

Style: Quick Connect, Double Button, Threaded



4 Prong 90 Degree Rake for Sewer Cleaning

Style: Quick Connect, Double Button, Threaded

WORK SAFER AND FASTER.

MANHOLE TOOLS

Every tool here is durable and professional grade.



PAGE 4 OF 4



Max-Claw Sewer Debris Removal Tool with Coupling

Style: Quick Connect, Double Button, Threaded



Sewer Catch Basin Spoon with Coupling

Style: Quick Connect, Double Button, Threaded



Sewer Curved Grease Log Chopper with Coupling

Style: Quick Connect, Double Button, Threaded



Sewer Grease Log Chopper with Coupling

Style: Quick Connect, Double Button, Threaded



Sewer Tool Harness – Heavy Duty Rope with Chain

Length: 26', 38'



Specialty Grease Spade

Style: Quick Connect, Double Button, Threaded



The Jake

JK-HMR-8 Manhole Extractor

CLEAN THE LINE, CATCH THE DEBRIS

JETTING & DEBRIS

We carry nozzle extensions, skids, proofers, root cutters and debris catchers for your jetter.

PAGE 1 OF 2



4 Wire Sewer Nozzle Skid Extension

Size: 1", 3/4", 1/2"; Type: 4", 6", 8", 10", 12"



6 Wire Sewer Nozzle Skid Extension

Style: 1", 3/4", 1/2"; Size: 4", 6", 8", 10", 12", 15", 18", 20"



AW4003 Style 10 Wire Proofer with Replaceable Runners

Style: 1", 3/4"; Size: 6", 8", 10", 12"



AW4003 Style Proofer Replacement Runners Rod

Size: 6", 8", 10", 12"



EC1 Easement Cart for Sewer Cleaning AW3200



Fixed 8 Wire Sewer Nozzle Extension

Style: 1", 3/4"; Size: 6", 8", 10", 12"



Football Style Sewer Nozzle Extension

Style: 1", 3/4", 1/2"; Size: 4", 6", 8", 10", 12", 15"



Four Finned Sewer Nozzle Extension

Style: 1", 3/4", 1/2"; Size: 4", 6", 8", 10", 12", 15"



Hydraulic Sewer Root Cutter Hub - Root Saw Hub

Size: 1", 5/8"



Hydraulic Sewer Root Cutter - Versi-Chuck Hub

Size: 1", 5/8"



Large Diameter Concave Spoke Sewer Root Saw for Hydraulic Root Cutter

Size: 15", 18", 20", 22", 24"



Mini Football Style Sewer Nozzle Extension

Style: 1", 3/4"; Size: 4", 6", 8"



Proofer AW4000 Style Sewer Nozzle Guide

Style: 1" Connection, 3/4" Connection, Replacement Runner; Pipe Size: 6" and Up to 1...



Quick Connect to Threaded Sewer Pole Adapter

FA-1



Solid Finned Sewer Nozzle Skid Extension

Style: 1", 3/4", 1/2"; Size: 4", 6", 8", 10", 12", 15"



Special Wheeled Sewer Nozzle Extension Skid

Style: 1", 3/4"; Size: 6", 8", 10", 12", 15"

CLEAN THE LINE, CATCH THE DEBRIS

JETTING & DEBRIS

We carry nozzle extensions, skids, proofers, root cutters and debris catchers for your jetter.

PAGE 2 OF 2



Standard Thickness Concave Root Saw (Blade Only)

Size: 3", 4", 6", 8", 10", 12", 15"



Straight Style Sewer Nozzle Extension

Size: 1", 3/4", 1/2"



Vac-Trap Debris Catcher - Camel® & Irrigation®

Type: 6", 8"; Size: 6", 8", 10", 12", 15", 18", 24"



Vac-Trap Debris Catcher - Vector® & Vac-Con®

Type: 6", 8"; Size: 6", 8", 10", 12", 15", 18", 24"



Vac-Trap Sewer Debris Catcher - Aquatech®

Type: 6", 8"; Size: 6", 8", 10", 12", 15", 18", 24"



Vac-Trap Sewer Grit Catcher - Aquatech®

Type: 6", 8"; Size: 6", 8", 10", 12", 15", 18", 24"



Vac-Trap Sewer Grit Catcher - Camel® & Irrigation®

Type: 6", 8"; Size: 6", 8", 10", 12", 15", 18", 24"



Vac-Trap Sewer Grit Catcher - Vector® & Vac-Con®

Type: 6", 8"; Size: 6", 8", 10", 12", 15", 18", 24"



"Shorty" Wire Style Sewer Nozzle Extension

Style: 1", 3/4"



Sewer Aluminum Debris Basket Cylinder with 25' Poly Rope

Size: 6", 8", 10", 12", 15"



Sewer Debris Basket Cylinder with 25' Poly Rope

Size: 6", 8", 10", 12", 15", 18", 24"



Sewer Debris Catcher for Use with 25' Poly Rope

Size: 6", 8", 10", 12", 15", 18", 24"



Sewer Extendable Debris Grabber

Size: 5' to 15', 7' to 21'



Sewer Grit Catcher for Use with 25' Poly Rope

Size: 6", 8", 10", 12", 15", 18", 24"



Versi-Clam Sewer Debris Removal Tool

Style: 12", 16"; Size: 6, 7, 8, 9, 10, 11, 12, 14, 16, 18, 20, 25

CONTINUOUS, SECTIONAL AND PLUMBER RODS

SEWER RODS

We carry tools, couplings and cutters for continuous, sectional and plumber sewer rod systems.

PAGE 1 OF 9

**Adapter Coupling for Continuous Sewer Rod**

Type: .375 Set Screw to .461 Fine LH (8 sizes);
Thread Type: 3/8", 5/16"

**Auger for Continuous Sewer Rod**

Type: Set Screw, Direct Hook; Pipe Size: 2", 3", 4", 5", 6", 8", 10"

**Bullet Tool for Continuous Sewer Rod**

Type: Set Screw, Direct Hook

**Continuous Rod - Sewer Rodder Replacement Wire**

Type: .375, .393, .415, .461; Length: 1000' to 2000' (11 sizes)

**Continuous Sewer Wire Pick Up Tool - 3/8" Coarse Threaded Nut**

CWPU

**Direct Hook Auger Coupling for Continuous Sewer Rod Systems**

Auger Size: 3" / 4" / 5", 6" / Up; Coupling Size: .375, .393, .415, .461

**Direct Hook Root Saw Coupling - Continuous Sewer Rod**

Coupling Size: .375, .393, .415, .461

**Direct Hook Square Bar Coupling - Continuous Sewer Rod**


Type: .375, .393, .415, .461

**Dura-Max Concave Root Saw - For Continuous Sewer Rod**

Type: Set Screw, Direct Hook; Pipe Size: 3", 4", 5", 6", 8", 10", 12", 15", 18"

**Dura-Max Flat Root Saw - For Continuous Sewer Rod**

Type: Set Screw, Direct Hook; Pipe Size: 3", 4", 5", 6", 8", 10", 12", 15", 18"

**Nuts for Continuous Sewer Rod**

Type: .375 Right to .461 Left (8 sizes)

**Sand Leader for Continuous Sewer Rod**

Type: Set Screw, Direct Hook

**Set Screw Auger Coupling for Continuous Sewer Rod Systems**

Auger Size: 3" / 4" / 5", 6" / Up; Coupling Size: .375, .393, .415, .461

**Set Screw Root Saw Coupling - Continuous Sewer Rod**

Coupling Size: .375, .393, .415, .461

**Set Screw Square Bar Coupling - Continuous Sewer Rod**

Type: .375, .393, .415, .461

**Spear Head 2" or 4" for Continuous Sewer Rod**

Size: 2", 4"; Type: Set Screw, Direct Hook

CONTINUOUS, SECTIONAL AND PLUMBER RODS

SEWER RODS

We carry tools, couplings and cutters for continuous, sectional and plumber sewer rod systems.

PAGE 2 OF 9



Square Bar Corkscrew for Continuous Sewer Rod

Type: Set Screw, Direct Hook; Pipe Size: 2", 3", 4", 5", 6", 7", 8", 10", 12"



Standard Thickness Concave Root Saw - For Continuous Sewer Rod

Type: Set Screw, Direct Hook; Pipe Size: 3", 4", 5", 6", 8", 10", 12", 15", 18", 20"



Standard Thickness Flat Root Saw - For Continuous Sewer Rod

Type: Set Screw, Direct Hook; Pipe Size: 3", 4", 5", 6", 8", 10", 12", 15", 18"



Swivel Bullet Pull Out for Continuous Sewer Rod

Type: Set Screw, Direct Hook



and 4" Auger Couplings with Side Bolt for Sectional Sewer Rod

Rod Size: 5/16", 3/8"



and Up Auger Coupling with Side Bolt for Sectional Sewer Rod

Rod Size: 5/16", 3/8"



Assembly Turning Handle for Sectional Sewer Rod

Style: 5/16", 3/8"



Assembly Wrench for Sectional Sewer Rod - Tightening Rod Connection

Style: 5/16", 3/8"



Auger for Sectional Sewer Rod - 5/16" or 3/8"

Rod Size: 5/16", 3/8"; Pipe Size: 2", 3", 4", 5", 6", 8", 10"



Bar Turning Handle for Sectional Sewer Rod - Short Manual Turns

Style: 5/16", 3/8"



Bullet Tool for Sectional Sewer Rod - 5/16" or 3/8"

Rod Size: 5/16", 3/8"



Corkscrew for No.5 Style Sectional Sewer Rod - 5/16"

P5-2M 2" Pipe



Corkscrew for No.5 Style Sectional Sewer Rod - 5/16"

P5-4M 4" Pipe



Curved Versa-Cutter Blade for Sectional Sewer Rod - 5/16" or 3/8"

Size: 4", 6", 8", 10", 12", 15", 18"



Double Corkscrew for No.5 Style Sectional Sewer Rod - 5/16"

P5-3M 4" Pipe



Double Round Stock Corkscrew for Sectional Sewer Rod - 5/16" or 3/8"

Style: 5/16", 3/8"; Size: 3", 4", 6"

CONTINUOUS, SECTIONAL AND PLUMBER RODS

SEWER RODS

We carry tools, couplings and cutters for continuous, sectional and plumber sewer rod systems.

PAGE 3 OF 9

**Drive Spud for Sectional Sewer Rod**

Rod Size: 5/16", 3/8"

**Flat Versa-Cutter Blade for Sectional Sewer Rod – 5/16" or 3/8"**

Size: 6", 8", 10", 12", 15", 18"

**Heavy Duty Concave Root Saw (Dura-Max) for Sectional Sewer Rod**

Rod Size: 5/16", 3/8"; Pipe Size: 3", 4", 5", 6", 8", 10", 12", 15", 18", 20"

**Heavy Duty Flat Root Saw (Dura-Max) for Sectional Sewer Rod**

Rod Size: 5/16", 3/8"; Pipe Size: 3", 4", 5", 6", 8", 10", 12", 15", 18", 20"

**Lateral Locator for Sectional Sewer Rod – 5/16" or 3/8"**

Rod Size: 5/16", 3/8"

**Pick Up Tool for No.5 Style Sectional Sewer Rod – 5/16"****P5-7M****Pick-Up Tool for Sectional Sewer Rod**

Rod Size: 5/16", 3/8"

**Pull Out Tool for Sectional Sewer Rod – Push/Pull Tool**

Style: 5/16", 3/8"

**Pull Out Turning Handle for Sectional Sewer Rod – Push/Pull/Turn**

Style: 5/16", 3/8"

**Rod Adapter Coupling for Sectional Sewer Rod**

Type: 3/8" Fine LH X 5/16", 5/16" Fine LH X 3/8"

**Root Cutter for No.5 Style Sectional Sewer Rod – 5/16"****P5-5-2M** 2" Pipe**Root Cutter for No.5 Style Sectional Sewer Rod – 5/16"****P5-5-3M** 3" Pipe**Root Cutter for No.5 Style Sectional Sewer Rod – 5/16"****P5-5-4M** 4" Pipe**Root Cutter for No.5 Style Sectional Sewer Rod – 5/16"****P5-5-6M** 6" Pipe**Root Saw Coupling with Side Bolt for Sectional Sewer Rod**

Rod Size: 5/16", 3/8"

**Round Rod Puller for Sectional Sewer Rod – 1/4" to 3/8"****MRP-1**

CONTINUOUS, SECTIONAL AND PLUMBER RODS

SEWER RODS

We carry tools, couplings and cutters for continuous, sectional and plumber sewer rod systems.

PAGE 4 OF 9



Round Stock Corkscrew for Sectional Sewer Rod – 5/16" or 3/8"

Style: 5/16", 3/8"; Size: 1.5", 2", 2.5", 3", 4", 6"



Sand Corkscrew for Sectional Sewer Rod – 5/16" or 3/8"

Rod Size: 5/16", 3/8"



Sand Leader for Sectional Sewer Rod – 5/16" or 3/8"

Rod Size: 5/16", 3/8"



Sectional Rod Couplings for Sewer Rod Systems

Size: 5/16", 3/8"



Selecto Spring Blade for Sectional Sewer Rod – 5/16" or 3/8"

Size: 6", 8", 10", 12", 15"



Spear Head for Sectional Sewer Rod – 2" or 4" Head

Head Size: 2", 4"; Rod Size: 5/16", 3/8"



Spear Head Tool for No.5 Style Sectional Sewer Rod – 5/16"

P5-6M



Square Bar Corkscrew Coupling for Sectional Sewer Rod

Rod Size: 5/16", 3/8"



Square Bar Corkscrew for Sectional Sewer Rod – 5/16" or 3/8"

Rod Size: 5/16", 3/8"; Pipe Size: 2", 3", 4", 5", 6", 7" (Special Size), 8", 10", 12"



Standard Concave Root Saw for Sectional Sewer Rod – 5/16" or 3/8"

Rod Size: 5/16", 3/8"; Pipe Size: 3", 4", 5", 6", 8", 10", 12", 15"



Standard Flat Root Saw for Sectional Sewer Rod – 5/16" or 3/8"

Rod Size: 5/16", 3/8"; Pipe Size: 3", 4", 6", 8", 10", 12", 15"



Swivel Bullet Pull Out Tool for Sectional Sewer Rod – 5/16" or 3/8"

Rod Size: 5/16", 3/8"



Swivel Loop Tool for Sectional Sewer Rod – 5/16" or 3/8"

Rod Size: 5/16", 3/8"



Versa-Cutter 3-Blade Chuck for Sectional Sewer Rod – 5/16" or 3/8"

Style: 5/16", 3/8"



Winters Double Root Saw Coupling for Sectional Sewer Rod

Rod Size: 5/16", 3/8"



Assembly Tool for No.5 Style Plumber Sewer Rod – 1/4"

P5-8

CONTINUOUS, SECTIONAL AND PLUMBER RODS

SEWER RODS

We carry tools, couplings and cutters for continuous, sectional and plumber sewer rod systems.

PAGE 5 OF 9




Assembly Tool for "B" Plumber Sewer Rod - 1/4"
PB-7



Corkscrew for No.5 Style Plumber Sewer Rod - 1/4"
P5-2 2" Pipe



Corkscrew for No.5 Style Plumber Sewer Rod - 1/4"
P5-4 4" Pipe



Corkscrew for "B" Plumber Sewer Rod - 1/4"
PB-4 2" Pipe



Corkscrew for "B" Plumber Sewer Rod - 1/4"
PB-3 4" Pipe



Double Corkscrew for No.5 Style Plumber Sewer Rod - 1/4"
P5-3 4" Pipe



Electric Drill Adapter for No.5 Style Plumber Sewer Rod - 1/4"
P5-9



Pick Up Tool for No.5 Style Plumber Sewer Rod - 1/4"
P5-7



Pick Up Tool for "B" Plumber Sewer Rod - 1/4"
PB-2



Pull Out Turning Handle with Hex Center for No.5 Style Plumber Sewer Rod - 1/4"
P5-10



Rod Frame for No.5 Style Plumber Sewer Rod - 1/4"
P5-1



Root Cutter for No.5 Style Plumber Sewer Rod - 1/4"
P5-5-2 2" Pipe



Root Cutter for No.5 Style Plumber Sewer Rod - 1/4"
P5-5-3 3" Pipe



Root Cutter for No.5 Style Plumber Sewer Rod - 1/4"
P5-5-4 4" Pipe



Root Cutter for "B" Plumber Sewer Rod - 1/4"
PB-5-3 3" Pipe



Root Cutter for "B" Plumber Sewer Rod - 1/4"
PB-5-4 4" Pipe

CONTINUOUS, SECTIONAL AND PLUMBER RODS

SEWER RODS

We carry tools, couplings and cutters for continuous, sectional and plumber sewer rod systems.

PAGE 6 OF 9



Spear Head for No.5 Style Plumber Sewer Rod – 1/4"

P5-6



Spear Head for "B" Plumber Sewer Rod – 1/4"

PB-6



Tapered Corkscrew for "B" Plumber Sewer Rod – 1/4"

PB-10 2" Pipe



Tapered Corkscrew for "B" Plumber Sewer Rod – 1/4"

PB-9 4" Pipe



Turning Handle for "B" Plumber Sewer Rod – 1/4"

PB-8



Aluminum Bell End Hose Coupling for Sewer Rodder

MBA-1



Aluminum Male End Hose Coupling for Sewer Rodder

MAE-1



Aluminum Male End Hose Coupling with Slip Ring for Sewer Rodder

MAE-1S



Below Freezing Green Sewer Rod Guide Hose – Flex-Metallic Liner

Material: Aluminum, Steel; Size: 7', 10', 15', 18', 20', 22', 25'



Black Heavy Duty Sewer Rod Guide Hose – Flex Metallic Liner

Material: Aluminum, Steel; Size: 7', 10', 15', 18', 20', 22', 25'



Blue Lightweight Sewer Rod Guide Hose – Flex Metallic Liner

Material: Aluminum, Steel; Size: 7', 10', 15', 18', 20', 22', 25'



Female X Female Coupler for Sewer Rod Guide Hose Extensions

MSC-8



Lightweight Rod Guide Brace with Chain and Rope for Sewer Rodder

MLMB-2



Male X Female Coupler for Sewer Rod Guide Hose Extension

MSC-9



Rod Guide Triangle Hose Guide Stand for Sewer Rodder

MRS-1



Sewer Rod Guide Bell for Rod Guide Hose Entry

MGB-1

CONTINUOUS, SECTIONAL AND PLUMBER RODS

SEWER RODS

We carry tools, couplings and cutters for continuous, sectional and plumber sewer rod systems.

PAGE 7 OF 9



Sewer Rod Guide Brace with Steel Ring for Rod Guide Bell
MLMB-1



Sewer Rod Guide Hose Coupling Clamps with Sets of 2 Bolts
MRGH-LC



Sewer Rod Insert Guides for Rod Guide Hose
MAL-1



Super Heavy Duty Black Sewer Rod Guide Hose - Steel Spring Liner
Material: Aluminum, Steel; Size: 7', 10', 15', 18', 20', 22', 25'



Heavy Duty Concave Sewer Root Saw (Dura-Max) - Blade Only
Pipe Size: 3", 4", 5", 6", 8", 10", 12", 15", 18", 20"



Heavy Duty Flat Sewer Root Saw (Dura-Max) - Blade Only
Pipe Size: 3", 4", 5", 6", 8", 10", 12", 15", 18", 20"



Root Saw Chuck for Sewer Rod
AW2104



Spring Blade Chuck for Sewer Rod
AW2107



Standard Concave Sewer Root Saw - Blade Only
Pipe Size: 3", 4", 5", 6", 8", 10", 12", 15"



Standard Flat Sewer Root Saw - Blade Only
Pipe Size: 3", 4", 6", 8", 10", 12", 15"



Versa Chuck 3 Blade Chuck - Direct Hook Type for Sewer Rod
Coupling Size: .375, .393, .415, .461



Versa Chuck 3 Blade Chuck - Set Screw Type for Sewer Rod
Coupling Size: .375, .393, .415, .461



Winter Double Root Saw Coupling - Sewer Pipe Cleaning Tool
Type: Set Screw, Direct Hook



Auger Chuck for Sewer Rod
AW2105



Combination Chuck for Sewer Rod
AW2108



Square Bar Corkscrew Chuck for Sewer Rod
AW2106

CONTINUOUS, SECTIONAL AND PLUMBER RODS

SEWER RODS

We carry tools, couplings and cutters for continuous, sectional and plumber sewer rod systems.

PAGE 8 OF 9



Sewer Rod Reel Stand for Carry-All Trailer
MEZ-3



Sewer Rod Reel Stand - Street Stand
MEZ-2



Sewer Rod Storage Reel - Holds Up to 200 Each of 39" Rods
MEZ-1



Camlock Style Coupling - Steel Female End for Sewer Rodder
MSF-1



Camlock Style Coupling - Steel Male End for Sewer Rodder
MSM-1



Left Hand Fine Thread Nut for Sewer Rods
Size: 5/16", 3/8"



Replacement Adapter Rod for Sewer Rod Systems
Adapter Length: Standard 8", Super Short 4.5";
Style: 5/16", 3/8"



Right Hand Coarse Thread Nut for Sewer Rods
Size: 5/16", 3/8"



Rod Puller Hitch for Sewer Rods
MRP-2



Sewer Rod Bending Kit
Size: .375, .393, .415, .461



Sewer Rod Loading Frame - Heavy Duty 6-Spoke
RLF-HD



Snap-On Pliers for Cleaning Sewer Rod
MPLY-1



Spare Wiper Felt for Sewer Rod Cleaning
MPLY-2



Threadless Quick Coupling for Sewer Rod Systems
Rod Size: 5/16", .375", .393"

SEWER RODS

We supply complete sectional rods and ready-to-work plumber rod kits.

PAGE 9 OF 9

PLUMBER KIT




"B" Plumber Complete Kit – Sewer Rod Kit for 1/4" Rods

Complete "B" plumber sewer rod kit with 17 × 1/4" × 6' rods – Up to 106' reach for small diameter sewer and drain...

PB-SET

PLUMBER KIT



"No.5" SET Complete Kit – No.5 Style Plumber Sewer Rod 1/4"

Complete No.5 style plumber sewer rod kit with 110' reach and multiple sewer cleaning tools – Includes spring...

P5-SET

COMPLETE ROD



Premium Sewer Rod Complete

Premium Sectional Sewer Rod Assembly with Coupling and Threaded Nuts The Premium Sewer Rod Complete ...

Rod Diameter: 5/16", 3/8"; Length: 36", 39", 48", 60", 72"

COMPLETE ROD



Sewer Rod Complete for "B" Plumber Rod – 1/4" x 6'

Sectional 1/4" sewer rod with round "B" couplings and nuts – Provides flexibility for straight sewer line runs

PB-1

ORDER BY PHONE OR ONLINE

WE CARRY TOOLING FOR CONTINUOUS, SECTIONAL AND PLUMBER RODS.

CALL OR TEXT **(407) 900-1091**

TRUGRITTRACTION.COM



TruGrit Traction Inc.
PO Box 2084
Winter Park, FL 32790

MORE THAN WHEELS

WE CARRY QUALITY PIPELINE VIDEO INSPECTION EQUIPMENT AND PARTS.



SPACERS




KIEL STICKS



MANHOLE PROTECTORS



HUBS FOR YOUR CRAWLER



DEBRIS SCOOPS



DOWNHOLE ROLLERS



INSPECTION CAMERAS



POLES & MANHOLE TOOLS

CALL OR TEXT **(407) 900-1091**

TRUGRITTRACTION.COM

TruGrit Traction Inc. is an independent aftermarket supplier and is not approved, sponsored or endorsed by, or affiliated with, any equipment manufacturer named in this catalog, including Cues Inc., RAUSCH Electronics USA LLC, Envirosight LLC and Rapid View LLC. Cues is a registered trademark of Cues Inc. RAUSCH is a registered trademark of RAUSCH Electronics USA LLC. Envirosight is a registered trademark of Envirosight LLC. IBAK is a registered trademark of Rapid View LLC. All other brand names and trademarks are the property of their respective owners.