TRUGRIT TRACTION
CAMERA CRAWLER WHEELS REINVENTED

PRODUCT CATALOG

WHEELS · TRACKS · MANHOLE TOOLS

AFTERMARKET PARTS FOR SEWER INSPECTION CRAWLERS

STOP SPINNING YOUR WHEELS. GET MORE FOOTAGE.



TruGrit carbide gritted wheels, tracks and cleats pull through grease, slime and debris. Every part is built for real-world pipe conditions.

★ PROUDLY MADE IN THE USA

FITS CUES / ARIES / ENVIROSIGHT / IBAK / RAUSCH / SUBSITE / MINICAM

CALL OR TEXT **(407) 900-1091**

TRUGRITTRACTION.COM

THE TRUGRIT DIFFERENCE

★ PROUDLY MADE IN THE USA

MEET THE PATENTED TRUGRIT POLY-CARBIDE WHEEL.

The TruGrit® Carbide Grit Camera Crawler Wheel is the world's first polymer carbide grit hybrid wheel, designed to provide maximum pulling power in all pipe types and conditions. Using patented TruGrit® Polymer Carbide Technology, we developed the most innovative aftermarket traction wheel available to the CCTV sewer inspection industry. It delivers the traction varying pipe conditions demand while staying flexible enough to traverse obstacles without damaging the pipe. That flexibility is what sets it apart from the common steel carbide grit wheels on the market today.



TRUGRIT WHEEL · 8" PIPE
TM-8QC-TG

01

It gains traction without damaging the pipe.

02

It keeps gripping as it wears, because the carbide grit runs all the way to the hub.

03

It fits all major crawler brands with reusable TruGrit hub adapters.

CHOOSE YOUR GRIP

LOOK FOR THESE TAGS ON EVERY PRODUCT PAGE

WHEEL

TruGrit® Wheel

Our patented polymer carbide hybrid grips in every pipe type and gets better as it wears.

STEEL

TruGrit® STEEL

Solid steel wheels carry a carbide grit coating, and we can resurface worn ones with new grit.

SPYKE

TruGrit® SPYKE

The Spyke is the world's first solid steel carbide spiked wheel built to fit multiple crawler brands.

TPU

TruGrit® TPU


Our most affordable wheel is a durable non-gritted polymer that outlasts standard rubber.

With over 30 years of combined experience engineering and testing pipeline video inspection equipment, TruGrit Traction has developed traction products, such as gritted cleats and carbide gritted wheels, that have proven to optimize the performance of camera transporters and self-propelled lateral reinstatement cutters in varying pipe types and conditions.

PIPE-SAFE TRACTION

TRUGRIT WHEELS WILL NOT DAMAGE THE NEW PIPE LINER.

Choosing a camera transporter can be a daunting task, but choosing its carbide grit wheels is a no-brainer. TruGrit® Carbide Grit Camera Transporter Wheels fit CUES crawlers with standard CUES-style hubs, and they fit Envirosight/iPEK, IBAK/Rapid View and RST crawlers with TruGrit® Hub Adapters.



TRUGRIT WHEELS INSIDE A FRESHLY LINED PIPE

INSIDE THIS CATALOG

FIND YOUR PART FAST.

05 **MANHOLE 8K CAMERA** — P. 05
True 8K, 360° manhole inspection

06 **NEW RELEASES** — P. 06
The newest wheels, tools and parts

07 **TRUGRIT WHEELS** — P. 07-15
Organized by crawler brand

16 **WHEEL KITS** — P. 16-19
Starter kits and complete wheel sets

20 **HUBS AND SPACERS** — P. 20-22
Hub adapters, spacers and spare parts

23 **TRACKS AND TIRES** — P. 23-27
Tracks, cleats, chain, tires, tubes and rims

28 **PIGTAILS AND CABLES** — P. 28-32
Pigtails, Y-cables, motor and tow cables

33 **MANHOLE TOOLS** — P. 33-36
Poles, hooks, rollers, covers and cameras

37 **JETTING AND DEBRIS** — P. 37-39
Nozzle extensions, skids and debris tools

40 **SEWER RODS** — P. 40-48
Continuous, sectional and plumber rod tools

SHOP BY CRAWLER

WHEELS THAT FIT

CUES 07

ARIES 08

ENVIROSIGHT 09

IBAK 11

RAUSCH 12

SUBSITE 13

MINICAM 14

IST · PEARPOINT · PROKASRO · SCHWALM 15

READING THIS CATALOG

Every product shows its SKU in blue. When a product comes in several sizes or styles, the options are listed under its name, and you choose yours when you order. Every product links to its page on trugrittraction.com.

HOW TO ORDER

- 30-DAY RETURNS
- EXCEEDS OEM SPECS
- FAST SHIPPING
- PURCHASE ORDERS WELCOME

CALL OR TEXT · MON-SUN · 24/7

(407) 900-1091

trugrittraction.com · info@trugrittraction.com



NEW

MANHOLE INSPECTION CAMERA

SEE EVERYTHING. MISS NOTHING.

Manhole 8K is a pole-mounted GoPro MAX 2 inspection system built specifically for confined-space environments. It is the only confined-space inspection camera on the market that captures true 8K video. Its ultra-high-definition 360° footage is formatted for AI-driven defect-coding platforms like SewerAI and other advanced analysis tools.

IN THE KIT

- GoPro MAX 2 360 camera
- Two 775-lumen panoramic light packs with 70-minute runtime
- Pole mount for Jameson-style snap-lock poles



Manhole 8K, pole included
MH8K-QCP

Manhole 8K camera kit
MH8K-1

Scan to see Manhole 8K in action.

manhole8k.trugrittraction.com

NEW RELEASE PRODUCTS

UPGRADE YOUR SEWER GAME.

You can order every new part on this page at trugrittraction.com.

NEW WHEELS

STEEL · 10–15" Pipe



Envirosight Quick Change Compatible

WS-1015EQ-SC

SPYKE · 4" Pipe



Envirosight RX95 Compatible

WS-4ERX95-SPK

SPYKE · 6" Pipe



Envirosight RX95 Compatible

WS-6ERX95-SPK

STEEL · 4" Pipe



Envirosight RX95 Compatible

WS-4ERX95-SC

NEW TOOLS AND PARTS

TOOL



Leader Hose

25' x 1" · 3000PSI

Sewer Leader Hose for 1" Jetter Rating: 3000PSI...

LDH-25-1

TOOL



Leader Hose

20' x 1" · 3000PSI

Sewer Leader Hose for 1" Jetter Rating: 3000PSI...

LDH-20-1

TOOL



Leader Hose

15' x 1" · 3000PSI

Sewer Leader Hose for 1" Jetter Rating: 3000PSI...

LDH-15-1

TOOL



Leader Hose

10' x 1" · 3000PSI

Sewer Leader Hose for 1" Jetter Rating: 3000PSI...

LDH-10-1

RE-GRIT SERVICE

We can resurface your worn steel wheels with new grit. Call or visit our website for details.

ALSO NEW

The Manhole 8K pole camera is on page 5.



OUR WHEELS FIT CUES

CRAWLER MODELS

CPR · SPR 1 & 2 · OG Pipe Ranger · LAMP 2

WHEEL FAMILIES: WHEEL · STEEL · SPYKE · TPU · HUB

PIPE SIZE AT TOP RIGHT OF EACH CARD

SPYKE 8″



Universal Fit
WS-8UF-SPK

SPYKE 10–15″



Universal Fit
WS-1015UF-SPK

STEEL 6″



Cues Compatible
WS-6CLW-SC

STEEL 6″



Pearpoint Compatible
WS-6PP-SC

STEEL 8″



Cues Compatible
WS-8CLW-SC

STEEL 8″



Cues OG Pipe Ranger Compatible
WS-8PR-SC

STEEL 8″



Pearpoint Compatible
WS-8PP-SC

STEEL 8″



Universal Fit
WS-8UF-SC

STEEL 10–15″



TruGrit STEEL Cues Compatible
WS-1015CU-SC

STEEL 10–15″



Universal Fit
WS-1015UF-SC

WHEEL 6″



Cues Compatible
TOM-6CS-TG

WHEEL 8″



Universal Fit
TM-8QC-TG

TPU 8″



Universal Fit
TM-8QC-NG

HUB 8–24″



Cues Compatible Hub Adapter Set
HAS-8-SS

HUB 8–24″



Cues Currahee Compatible Hub Adapter Set
HAS-815CR-SS

OUR WHEELS FIT ARIES

CRAWLER MODELS

Badger · Mini Badger · Pathfinder · TR2000

WHEEL FAMILIES **WHEEL** **STEEL** **SPYKE** **TPU** **HUB**

PIPE SIZE AT TOP RIGHT OF EACH CARD

SPYKE 8″



Universal Fit
WS-8UF-SPK

SPYKE 10–15″



Universal Fit
WS-1015UF-SPK

STEEL 6″



Aries Compatible
WS-6A-SC

STEEL 8″



Aries Compatible
WS-8A-SC

STEEL 8″



Universal Fit
WS-8UF-SC

STEEL 10–15″



Universal Fit
WS-1015UF-SC

WHEEL 6″



Aries Compatible
TOM-6A3-TG

WHEEL 8″



Universal Fit
TM-8QC-TG

TPU 8″



Universal Fit
TM-8QC-NG

HUB



8 to 10″ Aries Compatible Hub Adapter Set
HAS-824A-SS

FITMENT

Universal Fit wheels mount on Aries crawlers with a reusable hub adapter set.

ARIES

TRACKS

Aries-compatible STEEL Combo Tracks start on page 23.

P.23

OUR WHEELS FIT
ENVIROSIGHT

CRAWLER MODELS

RX130 · RX125 · RX95 · Supervision

WHEEL FAMILIES **WHEEL** **STEEL** **SPYKE** **TPU** **HUB**

PIPE SIZE AT TOP RIGHT OF EACH CARD

SPYKE 4″



Envirosight RX95 Compatible
WS-4ERX95-SPK

SPYKE 6″



Envirosight Quick Change Compatible
WS-6EQ-SPK

SPYKE 6″



Envirosight RX95 Compatible
WS-6ERX95-SPK

SPYKE 8″



Envirosight Quick Change Compatible
WS-8EQ-SPK

SPYKE 8″



Universal Fit
WS-8UF-SPK

SPYKE 10–15″



Envirosight Quick Change Compatible
WS-1015EQ-SPK

SPYKE 10–15″



Universal Fit
WS-1015UF-SPK

STEEL 4″



Envirosight RX95 Compatible
WS-4ERX95-SC

STEEL 6″



Envirosight Compatible
WS-6ES-SC

STEEL 6″



Envirosight Quick Change Compatible
WS-6EQ-SC

STEEL 6″



Envirosight RX95 Compatible
WS-6ERX95-SC

STEEL 8″



Envirosight Quick Change Compatible
WS-8EQ-SC

STEEL 8″



Universal Fit
WS-8UF-SC

STEEL 10–15″



Envirosight Quick Change Compatible
WS-1015EQ-SC

STEEL 10–15″



Universal Fit
WS-1015UF-SC

OUR WHEELS FIT
ENVIROSIGHT

CRAWLER MODELS

RX130 · RX125 · RX95 · Supervision

WHEEL FAMILIES **WHEEL** **STEEL** **SPYKE** **TPU** **HUB**

PIPE SIZE AT TOP RIGHT OF EACH CARD

WHEEL 6″



Envirosight Compatible
TOM-6ES-TG

WHEEL 6″



Envirosight Compatible
TOM-6ES-TG-1

WHEEL 8″



Universal Fit
TM-8QC-TG

TPU 8″



Universal Fit
TM-8QC-NG

HUB 8″



Envirosight Compatible Hub Adapter Set
HAS-ES8-SS

FITMENT

Quick Change wheels plug into Envirosight Quick Change hubs with no adapter.

ENVIROSIGHT

HUB ADAPTERS

Reusable TruGrit hub adapters and spacers start on page 20.

P.20

OUR WHEELS FIT IBAK

CRAWLER MODELS

T66 · T76 · T86 · PANO 2

WHEEL FAMILIES **WHEEL** **STEEL** **SPYKE** **TPU** **HUB**

PIPE SIZE AT TOP RIGHT OF EACH CARD

SPYKE 8″



Universal Fit
WS-8UF-SPK

SPYKE 10–15″



Universal Fit
WS-1015UF-SPK

STEEL



IBAK T66 Compatible · Lined 8″ Pipe
WS-8BK66-SC

STEEL 6″



IBAK T66 Compatible
WS-6BK66-SC

STEEL 6″



IBAK T76 Compatible
WS-6BK-SC

STEEL 8–10″



IBAK T66 Compatible
WS-810BK66-SC

STEEL 8″



Universal Fit
WS-8UF-SC

STEEL 10–15″



Universal Fit
WS-1015UF-SC

WHEEL 6″



IBAK Compatible
TOM-6BK-TG

WHEEL 8″



Universal Fit
TM-8QC-TG

TPU 8″



Universal Fit
TM-8QC-NG

FITMENT

Universal Fit wheels mount on IBAK crawlers with a reusable TruGrit hub adapter.

IBAK

HUB ADAPTERS

Reusable TruGrit hub adapters and spacers start on page 20.

P.20

OUR WHEELS FIT RAUSCH

CRAWLER MODELS
L135

WHEEL FAMILIES WHEEL STEEL SPYKE TPU HUB

PIPE SIZE AT TOP RIGHT OF EACH CARD

STEEL 6″



RAUSCH Compatible
WS-6RH-SC

STEEL 8″



Rausch Compatible
WS-8RH-SC

WHEEL 6–8″



Rausch Compatible
HAS-68RH-TG

WHEEL 6″



Rausch Compatible
TOM-68RH-TG

FITMENT

Rausch-compatible wheels bolt straight onto the L135.

RAUSCH

HUB ADAPTERS

Reusable TruGrit hub adapters and spacers start on page 20.

P.20

OUR WHEELS FIT

SUBSITE

CRAWLER MODELS

RST · Transtar · Transtar 2 · Pro Trak

WHEEL FAMILIES **WHEEL** **STEEL** **SPYKE** **TPU** **HUB**

PIPE SIZE AT TOP RIGHT OF EACH CARD

SPYKE 8″



Universal Fit
WS-8UF-SPK

SPYKE 10–15″



Universal Fit
WS-1015UF-SPK

STEEL 8″



Universal Fit
WS-8UF-SC

STEEL 10–15″



Universal Fit
WS-1015UF-SC

WHEEL 8″



Universal Fit
TM-8QC-TG

TPU 8″



Universal Fit
TM-8QC-NG

HUB 8″



RST Compatible Hub Adapter Set (2-Pin)
HAS-8RT-SS-3

FITMENT

Universal Fit wheels mount on Subsite (RST) crawlers with the 2-pin hub adapter set.

SUBSITE

TRACKS

Subsite-compatible STEEL Combo Tracks start on page 23.

P.23

OUR WHEELS FIT

MINICAM

CRAWLER MODELS

Proteus

WHEEL FAMILIES WHEEL STEEL SPYKE TPU HUB

PIPE SIZE AT TOP RIGHT OF EACH CARD

SPYKE 8″



Universal Fit
WS-8UF-SPK

SPYKE 10–15″



Universal Fit
WS-1015UF-SPK

STEEL 8″



Universal Fit
WS-8UF-SC

STEEL 10–15″



Universal Fit
WS-1015UF-SC

WHEEL 8″



Universal Fit
TM-8QC-TG

TPU 8″



Universal Fit
TM-8QC-NG

HUB



Hub Adapter Set
HAS-824PT-SS

FITMENT

Universal Fit wheels mount on the Proteus with a reusable hub adapter set.

MINICAM

HUB ADAPTERS

Reusable TruGrit hub adapters and spacers start on page 20.

P.20

WHEELS FOR IST, PEARPOINT, PROKASRO, SCHWALM

ALL OTHER OEM

WHEEL FAMILIES **WHEEL** **STEEL** **SPYKE** **TPU** **HUB**

PIPE SIZE AT TOP RIGHT OF EACH CARD

STEEL 6–8″



IST Compatible
WS-68ST-SC

STEEL 8–15″



IST Compatible
WS-815ST-SC

STEEL 6″



Pearpoint Compatible
WS-6PP-SC

STEEL 8″



Pearpoint Compatible
WS-8PP-SC

HUB



Hub Adapter Set
HAS-810PK-SS

STEEL 6″



Schwalm Compatible
WS-6SW-SC

STEEL 8″



Schwalm Compatible
WS-8SW-SC

COMPLETE WHEEL SETS

WHEEL KITS

Order a full set of TruGrit wheels for your crawler under one SKU.

SPYKE



TruGrit SPYKE
4 Wheel Base Kit · 8" Pipe
WSK-8UF-4SPK

STEEL



TruGrit Steel
4 Wheel Base Kit · 8" Pipe
WSK-8UF-4SC

SPYKE



TruGrit SPYKE
4 Wheel Base Kit · Universal Fit · 10-15" Pipe
WSK-1015UF-4SPK

STEEL



TruGrit Steel
4 Wheel Base Kit · Universal Fit · 10-15" Pipe
WSK-1015UF-4SC

STEEL



TruGrit STEEL
4 wheel Kit · Cues Compatible · 10"-15" Pipe
Order by name

SPYKE



TruGrit SPYKE
6 Wheel Base Kit · 8" Pipe
WSK-8UF-6SPK

STEEL



TruGrit Steel
6 Wheel Base Kit · 8" Pipe
WSK-8UF-6SC

WHEEL



TruGrit®
6 Wheel Base Kit · 8" Pipe
CWK-8QC-TG

COMBO



TruGrit® Combo
6 Wheel Base Kit · 8" Pipe
CWK-8QC-TGSC

TPU



TruGrit® TPU
6 Wheel Base Kit · 8" Pipe
CWK-8QC-NG

STEEL



Steel Wheel Kit
8" Pipe · Aries Badger Compatible
WSK-8A-SC-B

STEEL



Steel Wheel Kit
8" Pipe · Aries Pathfinder Compatible
WSK-8A-SC-P

COMPLETE WHEEL SETS

WHEEL KITS

Order a full set of TruGrit wheels for your crawler under one SKU.

STEEL



Steel Wheel Kit

8" Pipe · Rausch Compatible

WSK-8RH-SC

WHEEL



TruGrit® Starter Kit

Aries Badger Compatible · 8" Pipe

ASK-8QC-TG-3001

WHEEL



TruGrit® Starter Kit

Aries Pathfinder TR3300 Compatible · 8" Pipe

ASK-8QC-TG-3300

STEEL



TruGrit Steel Wheel Kit

Cues Compatible · 6" Pipe

WSK-6CLW-SC

STEEL



TruGrit Steel Wheel Kit

Cues Compatible · 8" Pipe

WSK-8CLW-SC

WHEEL



TruGrit® Starter Kit

Cues Compatible · 8" Pipe

CSK-8QC-TG

STEEL



TruGrit Steel Wheel Kit

Envirosight Compatible · 6" Pipe

WSK-6ES-SC

COMBO



TruGrit® Combo Starter Kit

Envirosight Compatible · 8" Pipe

ESK-8QC-TGSC

STEEL



TruGrit® STEEL Starter Kit

Envirosight Compatible · 8" Pipe

ESK-8UF-SC

WHEEL



TruGrit® Starter

Envirosight Compatible · 8" Pipe

ESK-8QC-TG

TPU



TruGrit® TPU Starter Kit

Envirosight Compatible · 8" Pipe

ESK-8QC-NG

SPYKE



TruGrit SPYKE Wheel Kit

Envirosight Quick Change Compatible · 10-15" Pipe


WSK-1015EQ-SPK

COMPLETE WHEEL SETS

WHEEL KITS

Order a full set of TruGrit wheels for your crawler under one SKU.

SPYKE



TruGrit SPYKE Wheel Kit

Envirosight Quick Change Compatible · 6" Pipe

WSK-6EQ-SPK

STEEL



TruGrit STEEL Wheel Kit

Envirosight Quick Change Compatible · 6" Pipe

WSK-6EQ-SC

SPYKE



TruGrit SPYKE Wheel Kit

Envirosight Quick Change Compatible · 8" Pipe

WSK-8EQ-SPK

STEEL



TruGrit STEEL Wheel Kit

Envirosight Quick Change Compatible · 8" Pipe

WSK-8EQ-SC

STEEL



TruGrit Steel Wheel Kit

IBAK T66 Compatible · 6" Pipe

Order by name

STEEL



TruGrit Steel Wheel Kit

IBAK T76 Compatible · 6" Pipe

WSK-6BK-SC

COMBO



TruGrit® Combo Starter

IBAK T76 Compatible · 8" Pipe

BSK-8QC-TGSC

STEEL



TruGrit® STEEL Starter

IBAK T76 Compatible · 8" Pipe

BSK-8UF-SC

WHEEL



TruGrit® Starter Kit

IBAK T76 Compatible · 8" Pipe

BSK-8QC-TG

TPU



TruGrit® TPU Starter Kit

IBAK T76 Compatible · 8" Pipe

BSK-8QC-NG

COMBO



TruGrit® Combo Starter Kit

Minicam Proteus Compatible · 8" Pipe

MSK-8QC-TGSC

WHEEL



TruGrit® Starter Kit

Minicam Proteus Compatible · 8" Pipe

MSK-8QC-TG

COMPLETE WHEEL SETS

WHEEL KITS

Order a full set of TruGrit wheels for your crawler under one SKU.

COMBO



TruGrit Combo Starter Kit

RST Transtar Compatible · 8" Pipe

TSK-8QC-TGSC

STEEL



TruGrit® STEEL Starter Kit

RST Transtar Compatible · 8" Pipe

TSK-8QC-SC

WHEEL



TruGrit® Starter Kit

RST Transtar Compatible · 8" Pipe

TSK-8QC-TG

WHEEL



TruGrit Starter Kit for 6-8" Pipe

Rausch Compatible

RSK-68RH-TG

FIT TRUGRIT TO EVERY CRAWLER

HUBS & SPACERS

Reusable TruGrit hub adapters let our wheels fit all major crawler brands.

HUB



8 to 10" Aries Compatible Hub Adapter Set

HAS-824A-SS



Envirosight Compatible Spare Parts

KS-4-E



IBAK Compatible Spare Parts for Nano-L Mini Pan and Tilt Camera

KS-2-BK



IBAK Compatible Spare Parts for Orion-L Mini Pan and Tilt Camera

KS-1-BK

HUB



Spacer

1 inch · Cues Compatible

SP-100CU-SS

HUB



Spacer

1/2 inch · Cues Compatible

SP-50CU-SS

HUB



Spacer

1/4 inch · Cues Compatible

SP-25CU-SS

HUB



Inner Hub Spacer

12"-24" Pipe · Aries Compatible

HA-12A-SS

HUB



Aries Compatible Inner Hub Adapter

6" Pipe

HA-6A-SS

HUB



Aries Compatible Inner Hub Adapter

8-10" Pipe

HA-824A-SS

HUB



Hub Adapter Set

8-24 Inch Pipe · Proteus Compatible

HAS-824PT-SS

HUB



Aries Compatible Outer Hub Adapter

8-24" Pipe

HC-824A-SS

FIT TRUGRIT TO EVERY CRAWLER

HUBS & SPACERS

Reusable TruGrit hub adapters let our wheels fit all major crawler brands.

HUB



Cues Compatible Inner Hub Adapter

8-24" Pipe

HA-815-SS

HUB



Schwalm Compatible Hub Adapter

8-24" Pipe

Order by name

HUB



CUES Compatible Original Pipe Ranger & UEMSI Prowler Hub...

8" Pipe

HC-8CU-SS

HUB



Cues Compatible Outer Hub Adapter

8" Pipe

HC-8CT-SS

HUB



Envirosight Compatible Hub Adapter Set

8" Pipe

HAS-ES8-SS

HUB



Envirosight Compatible Inner Hub Adapter

8" Pipe

HA-ES8-SS

HUB



Envirosight Compatible Outer Hub Adapter

8" Pipe

HC-ES8-SS

HUB



RST Compatible 1/2" Axle Inner Hub Adapter

8" Pipe

HA-RT8-SS-2

HUB



RST Compatible 3/8" Axle Inner Hub Adapter

8" Pipe

HA-RT8-SS-1

HUB



RST Compatible Hub Adapter Set (2-Pin)

8" Pipe

HAS-8RT-SS-3

HUB



RST Compatible Inner Hub 2-Pin Adapter

8" Pipe

HA-RT8-SS-3

HUB



RST Compatible Outer Hub Adapter

8" Pipe

HC-RT8-SS

FIT TRUGRIT TO EVERY CRAWLER

HUBS & SPACERS

Reusable TruGrit hub adapters let our wheels fit all major crawler brands.

HUB



Cues Compatible Hub Adapter Set

8”-24” Pipe

HAS-8-SS

HUB



Cues Currahee Compatible Hub Adapter Set

8”-24” Pipe

HAS-815CR-SS

HUB



Bore Seal Wear Sleeve

CR 4925

CR4925

HUB



6” Hub Adapter

Envirosight Compatible

HA-6ES-SS

HUB



Spacer

Envirosight Compatible

SP-1018-ES

HUB



Hub Adapter

IBAK Compatible

HC-818BK-SS

HUB



Hub Adapter Set

Prokasro Compatible · Universal fit 8”-24” Pipe

HAS-810PK-SS

HUB



Inner Adapter

Proteus Compatible

HA-8PT-SS

HUB



8 Inch Inner Adapter

Rausch Compatible

HA-8RH-SS

OUR TRACKS FIT ARIES, CUES AND SUBSITE.

TRACKS & TIRES

We carry gritted STEEL cleats, treaded tracks, chain parts, tires, tubes and rims.



FEATURED PRODUCT

TRUGRIT® STEEL COMBO TRACKS

TruGrit® STEEL Combo Tracks are the best bang for the buck, with the best traction and longest wear life of any tracks we sell. Their softer rubber cleats outlast standard rubber cleats, and a handful of solid STEEL cleats coated with tungsten carbide grit on each side cuts through the grease to get you to that last manhole.

- **Nickel chain resists corrosion and stretching.**
- **Custom lengths are available upon request.**

TREADED



Treaded Tracks, 21 Cleat

Aries Compatible · #35 Chain Pair

CPA-3521-TR

COMBO



TruGrit STEEL Combo Tracks

29 cleat · Aries Compatible

CPA-3529-CC

COMBO



TruGrit® STEEL Combo Tracks

30 cleat (PAIR)

CPA-3530-SC

RUBBER



Maximum Grip Rubber Tracks, 30 Cleat

Cues Compatible · #35 Chain Pair

CPA-3530-SR

TREADED



Treaded Tracks, 30 Cleat

Cues Compatible · #35 Chain Pair

CPA-3530-TR

COMBO



TruGrit® STEEL Combo Treaded Tracks

30 cleat (PAIR)

CPA-3530-TRSC

COMBO



TruGrit® STEEL Combo Tracks

38 cleat (PAIR)

CPA-3538-SC

RUBBER



Maximum Grip Rubber Tracks, 38 Cleat

Cues Compatible · #35 Chain Pair

CPA-3538-SR

OUR TRACKS FIT ARIES, CUES AND SUBSITE.

TRACKS & TIRES

We carry gritted STEEL cleats, treaded tracks, chain parts, tires, tubes and rims.

TREADED



Treaded Tracks, 38 Cleat

Cues Compatible · #35 Chain Pair

CPA-3538-TR

COMBO



TruGrit® STEEL Combo Treaded Tracks

38 cleat (PAIR)

CPA-3538-TRSC

TREADED



45-Cleat Treaded Chain Assembly (Pair)

CPA-3545-TR

COMBO



TruGrit® STEEL Combo Tracks

47 cleat (PAIR)

CPA-3547-SC

RUBBER



Maximum Grip Rubber Tracks, 47 Cleat

Cues & Aries Compatible · #35 Chain Pair

CPA-3547-SR

TREADED



Cues & Aries Compatible 47 Treaded Tracks- #35 Chain (Pair)

CPA-3547-TR

COMBO



TruGrit® STEEL Combo TREADED Tracks

47 cleat (PAIR)

CPA-3547-TRSC

COMBO



TruGrit STEEL Combo Tracks

50 Cleat · Aries Compatible

CPA-3550-CC

RUBBER



Maximum Grip Rubber Tracks, 50 Cleat

Aries Compatible · #35 Chain Pair

CPA-3550-SR

RUBBER



Maximum Grip Rubber Tracks, 51 Cleat

Aries Compatible · #35 Chain Pair

CPA-3551-SR

TREADED



Treaded Tracks, 51 Cleat

Aries Compatible · #35 Chain Pair

CPA-3551-TR

TREADED



Treaded Tracks, 54 Cleat

Aries Compatible · #35 Chain Pair

CPA-3554-TR

OUR TRACKS FIT ARIES, CUES AND SUBSITE.

TRACKS & TIRES

We carry gritted STEEL cleats, treaded tracks, chain parts, tires, tubes and rims.

TREADED



68-Cleat Treaded Chain Assembly (Pair)

CPA-3568-TR

CLEAT



Smooth Tracks, 36 Cleat

RST Compatible · #40 chain Pair

CPA-4036-SR

CLEAT



Smooth Tracks, 47 Cleat

RST Compatible · #40 chain

CPA-4047-SR

RUBBER



Max Grip Rubber Cleat For #35 Chain

CR-35-SR

RUBBER



Rubber Cleat

#40 chain · RST/Subsite Compatible

CR-40-SR

TREADED



Treaded Cleat For #35 Chain

CT-35-TR

TREADED



Treaded Cleat w/ Master Link For #35 Chain

CT-35M-TR

GRITTED



TruGrit® STEEL Carbide Gritted Cleat For #35 Chain

CLT-4-SC

TREADED

PHOTO COMING SOON

TruGrit® STEEL Carbide Gritted Cleat For #35 Chain

Treaded

CLT-35TR-SC

CHAIN



Master Link For #40 Chain

ML-40

CHAIN



Nickle Plated Half Link For #35 Chain

HL-35-NP

CHAIN



Nickle Plated Master Link For #35 Chain

ML-35-NPD

OUR TRACKS FIT ARIES, CUES AND SUBSITE.

TRACKS & TIRES

We carry gritted STEEL cleats, treaded tracks, chain parts, tires, tubes and rims.

PART



TruGrit Depth
TG-D-1

RIM



Inner Rim for 150-200mm Pneumatic Tire
RP-1518UF-AL

RIM



Outer Rim for 150-200mm Pneumatic Tire
RP-1518HO-AL

RIM



Rim, Pneum, 4.1 Hub x 4"W
RP-4104

TIRE



Tire, Pneumatic 12" x 4 V
TP-4004V

TIRE



Tire, Pneumatic, 150mm D x 50mm W
TP-15050

TIRE



Tire, Pneumatic, 175mm D x 50mm W
TP-17550

TIRE



Tire, Pneumatic, 200mm D x 50mm W
TP-20050

TIRE



Tire, Pneumatic, 4.1 Hub x 4"W
TP-4104

TUBE



Tire, Tube & Rim Assembly
150mm
RTA-150

TUBE



Tire, Tube & Rim Assembly
175mm
RTA-175UF

TUBE



Tire, Tube & Rim Assembly
200mm
RTA-200UF

OUR TRACKS FIT ARIES, CUES AND SUBSITE.

TRACKS & TIRES

We carry gritted STEEL cleats, treaded tracks, chain parts, tires, tubes and rims.

TUBE



Tube, 150mm D x 50mm W

TU-15050

TUBE



Tube, 175mm D x 50mm W

TU-17550

TUBE



Tube, 200mm D x 50mm W

TU-20050

TUBE



Tube, 4.1 x 4

TU-4104

CONNECT AND TOW WITH CONFIDENCE

PIGTAILS & CABLES

We stock pigtails, adapters, connectors and tow cables for CUES, Aries and RST crawlers.

PHOTO COMING SOON

160529R- Female Body-w/4-pins

160529R

PHOTO COMING SOON

160537R-Male body-w/4 sockets

160537R



3 Pin Straight Male 7/8" Mini-Fast Single Ended Connector

RSM-30



3 pin male Turck connector to 6 pin female Turck connector

RAC-806-30631



3 pin straight female 7/8" mini-fast single ended connector

RAC-RKM-30



4 pin straight female M8 picofast single ended connector

RAC-PKG-4M



5 pin straight female 7/8" mini-fast single ended connector

RAC-RKM-50



5 pin straight male 7/8" mini-fast single ended connector

RAC-RSM-50



5 pin straight male M12 Eurofast single ended connector

RAC-RSC-4.5T



6 pin female Turck connector to 4 pin male connector assembly

RAC-806-34469



6 pin female Turck connector to TNC male coaxial assembly

RAC-806-19668



6 pin straight female 7/8" mini-fast single ended connector

RAC-RKM-61

CONNECT AND TOW WITH CONFIDENCE

PIGTAILS & CABLES

We stock pigtails, adapters, connectors and tow cables for CUES, Aries and RST crawlers.



6 pin straight male 7/8" mini-fast single ended connector

RAC-RSM-61



Cues Compatible 60 Inch Coated Stainless Steel Tow Cable (PAIR)

TCS-60-SS



Cues Compatible Lifting Strap

LS-LM-2

PHOTO COMING SOON

Replacment Cable (Yellow) for part 841261

AC-1605580



Splice Termination Scotchcast Kit

82-F1



Strain Relief Fitting, 1/2" NPT

CHW-1333

PHOTO COMING SOON

Strain relief-pigtail end

CHW-1454



Pigtail

12 Pin · Aries Compatible

AC-160559



Pigtail

12 Pin · Cues Compatible

CAC-770001



160560

12- pin female used with 841261 · Aries Compatible

AC-160560



Adapter Cable

12-7-5 Pin · Aries Compatible

AC-841261



Dummy Plug

12-Pin

160553-12

CONNECT AND TOW WITH CONFIDENCE

PIGTAILS & CABLES

We stock pigtails, adapters, connectors and tow cables for CUES, Aries and RST crawlers.



Tiger Tail
2″ x 36″
TT-236



Pigtail
3 Pin Male · Cues & RST Compatible
CAC-160532



Pigtail
3 Pin · Cues & RST Compatible
CAC-160531



Tiger Tail
3″ x 36″
TT-336



Motor Cable
4-Pin · Cues Compatible
CMC-236



Y-Eliminator
5-Pin · Cues Compatible
CMC-233



Y-Eliminator With Tap
5-Pin · Cues Compatible
CMC-418



Aries Compatible Cable
713395
AC-713395



Aries Compatible Adapter Cable
841057
AC-841057



Aries Compatible Cable
841501
841501



Adapter Cable
Aries Compatible · 841617
AC-841617



Adapter Cable
Aries Compatible · 841767
AC-841767

CONNECT AND TOW WITH CONFIDENCE

PIGTAILS & CABLES

We stock pigtails, adapters, connectors and tow cables for CUES, Aries and RST crawlers.



Lateral Launcher Chute

Aries LE3260/70 Compatible · 590440

ALC-590440



Lateral Launcher Chute

Aries LE3260/70 Compatible · 590441

ALC-590441



12 pin connector

Aries Pathfinder Compatible · 809227

809227



Y-Eliminator

Compatible w/Cues Pipe Ranger

CWT-311



Tow Cables (pair)

Compatible with ARIES TR3300

TCS-13-SS



Tow Cables (tethered pair)

Compatible with Cues CPR, SPR & LAMP2

TCD-39-SS



Tow Cables (tethered pair)

Compatible with Cues LAMP 2 including rear...

TCD-47-SS



12-5-4 Molded Cable End Adapter

Cues & Aries Compatible

CAC-TR317

PHOTO COMING SOON

12-5-4-3 Cable End Adapter

Cues / Logiball Compatible

CAC-SS301



Locking Cable Connector

Cues CPR Compatible

LC-CPR-SS

IMAGE COMING SOON

12 Pin to 8 Pin

Cues Compatible

CAC-TX343



12-5-4 Cable End Adapter

Cues Compatible

CAC-1650120

CONNECT AND TOW WITH CONFIDENCE

PIGTAILS & CABLES

We stock pigtails, adapters, connectors and tow cables for CUES, Aries and RST crawlers.



C-MZ 341 Replacement Pigtail

Cues Compatible

C-MZ341



Splice Chamber

Cues Compatible

CRP-017



Locking Cable Connector

Cues Pipe Ranger Compatible

LC-SPR-SS



Tiger Tail

Heavy Duty · 2″ x 36″

TT-336-HD



Aries Compatible Cable

Loopless · 841755

AC-841755



841804

Replacement Cable (orange) · Aries Compatible


AC-841804

WORK SAFER AND FASTER.

MANHOLE TOOLS

Every tool here is durable and professional grade.





JETTER CAMERA GP-5K

GP SEWER CAM

- It delivers 5K-equivalent picture quality with GoPro® technology inside.
- Its Tier 2 nozzle is built to your jetter's specs.
- It fits 6" to 18" pipe and is built from Type 304 stainless steel.




Adapter Coupling – Quick Connect Pole to Threaded Tool
ACTA-1




Max-Claw Complete Sewer Debris Removal Tool with Extendable Pole
MCLAW



Pole
QCP-6 Fiberglass · 6' Quick Connect




Pole
CP-5-SC Fiberglass · Cues Compatible · Heavy Duty Steel Collars




Pole
CP-5-AC Fiberglass · Cues Compatible · Light Duty Aluminum Collars



Pole
QCP-6F Foam Filled Fiberglass · 6' Quick Connect



Pole
CP-5-FFSC Foam Filled Fiberglass · Cues Compatible · Heavy Duty Steel Collars



Pole
CP-5-FFAC Foam Filled Fiberglass · Cues Compatible · Light Duty Aluminum Collars



Sewer Invert Shovel with Pole
Pole Type: Fiberglass Standard (Hollow), Steel Reinforced Fiberglass, Wooden; Size: 6' Pole, 1...



Sewer Wooden Pole with Quick Connect Ends
Size: 6' Wooden Pole with MXF Ends, 12' Wooden Pole (2 Poles Of 6ft.) (MXF Ends), 24' Wooden...

Sewer Wooden Pole with Threaded Ends
Size: 6' Wooden Pole with MXF Ends, 12' Wooden Pole (2 Poles of 6ft.) (MXF Ends), 24' Wooden...



Steel Threaded Couplings (3/4" NPT) – Fiberglass Sewer Poles
Type: Set, - Male, - Female

WORK SAFER AND FASTER.

MANHOLE TOOLS



Every tool here is durable and professional grade.



Telescopic Extension Sewer Pole – Quick Connect (7–14 ft)
MXT-714



Captain Hook Style Manhole Hook with Triangle Handle
MSRH-1



City Style Manhole Hook with "O" Handle
CSO-1



City Style Manhole Hook with "T" Handle
CST-1



Lifting Hook
CH-F-1 Fixed · Push-Button Connection



Lifting Hook
CH-S Swivel · Push-Button Connection



Lifting Hook
CH-S-QC Swivel · Quick-Connect



Manhole Hook
MH-36 36"



Manhole Hook
MH-36F 36" · Lay Flat Style



Sewer Camera Hook with Coupling
Style: Quick Connect, Double Button, Threaded



Sewer Grappling Hook with 25 ft Poly Rope
MMH-1



Sewer Swivel Camera Hook with Coupling
Style: Quick Connect, Double Button, Threaded



Water Meter Hook & Key
WMK-1



Downhole Roller
DRQC-S30 Powder Coated Steel · Quick Connect



Extendable Manhole Sewer Hose Guide With Roller
EXR-1



Powder Coated Down Hole Sewer Guide With Roller
M730

WORK SAFER AND FASTER.

MANHOLE TOOLS

Every tool here is durable and professional grade.






Top Aluminium Manhole Sewer Hose Guide With Roller
Style: Nylon, Aluminium



Top Manhole Roller
TMR-AL



Top Safety Manhole Roller
TSR-S2026



Upper Steel Manhole Sewer Hose Guide With Roller
Style: Nylon, Aluminium



Manhole Safety Cover
MSR-2026A Center Roller: Aluminum, Nylon




Manhole Safety Cover
MSR-2634A Center Roller: Aluminum, Nylon



Light Ring
MHLR-2230



Sewer Invert Shovel with Coupling
Style: Quick Connect, Double Button, Threaded



Debris Scoop
DSC-8-QC Quick Connect · 8″



3 Prong Sewer Debris Grabber with Coupling
Style: Quick Connect, Double Button, Threaded



4 Prong Sewer Debris Grabber with Coupling
Style: Quick Connect, Double Button, Threaded



Sewer Debris Grabber with Coupling
Style: Quick Connect, Double Button, Threaded



Sewer Horse Shoe Grabber with Coupling
Style: Quick Connect, Double Button, Threaded



Sewer Hose Grabber with Coupling
Style: Quick Connect, Double Button, Threaded



3 Prong 90 Degree Rake for Sewer Cleaning
Style: Quick Connect, Double Button, Threaded



4 Prong 90 Degree Rake for Sewer Cleaning
Style: Quick Connect, Double Button, Threaded

WORK SAFER AND FASTER.

MANHOLE TOOLS



Every tool here is durable and professional grade.



Max-Claw Sewer Debris Removal Tool with Coupling
Style: Quick Connect, Double Button, Threaded



Sewer Catch Basin Spoon with Coupling
Style: Quick Connect, Double Button, Threaded



Sewer Curved Grease Log Chopper with Coupling
Style: Quick Connect, Double Button, Threaded



Sewer Grease Log Chopper with Coupling
Style: Quick Connect, Double Button, Threaded



Sewer Tool Harness – Heavy Duty Rope with Chain
Length: 26', 38'



Specialty Grease Spade
Style: Quick Connect, Double Button, Threaded



The Jake
JK-HMR-8 Manhole Extractor

CLEAN THE LINE, CATCH THE DEBRIS

JETTING & DEBRIS

We carry nozzle extensions, skids, proofers, root cutters and debris catchers for your jetter.



4 Wire Sewer Nozzle Skid Extension
Size: 1", 3/4", 1/2"; Type: 4", 6", 8", 10", 12"



6 Wire Sewer Nozzle Skid Extension
Style: 1", 3/4", 1/2"; Size: 4", 6", 8", 10", 12", 15", 18", 20"



AW4003 Style 10 Wire Proofer with Replaceable Runners
Style: 1", 3/4"; Size: 6", 8", 10", 12"



AW4003 Style Proofer Replacement Runners Rod
Size: 6", 8", 10", 12"



EC1 Easement Cart for Sewer Cleaning
AW3200



Fixed 8 Wire Sewer Nozzle Extension
Style: 1", 3/4"; Size: 6", 8", 10", 12"



Football Style Sewer Nozzle Extension
Style: 1", 3/4", 1/2"; Size: 4", 6", 8", 10", 12", 15"



Four Finned Sewer Nozzle Extension
Style: 1", 3/4", 1/2"; Size: 4", 6", 8", 10", 12", 15"



Hydraulic Sewer Root Cutter Hub – Root Saw Hub
Size: 1", 5/8"



Hydraulic Sewer Root Cutter – Versi-Chuck Hub
Size: 1", 5/8"



Large Diameter Concave Spoke Sewer Root Saw for Hydraulic Root Cutter
Size: 15", 18", 20", 22", 24"



Leader Hose
LDH-10-1 10' x 1" · 3000PSI



Leader Hose
LDH-15-1 15' x 1" · 3000PSI



Leader Hose
LDH-20-1 20' x 1" · 3000PSI



Leader Hose
LDH-25-1 25' x 1" · 3000PSI



Mini Football Style Sewer Nozzle Extension
Style: 1", 3/4"; Size: 4", 6", 8"

CLEAN THE LINE, CATCH THE DEBRIS

JETTING & DEBRIS

We carry nozzle extensions, skids, proofers, root cutters and debris catchers for your jetter.



Proofer AW4000 Style Sewer Nozzle Guide

Style: 1" Connection, 3/4" Connection, Replacement Runner; Pipe Size: 6" and Up to 1...



Quick Connect to Threaded Sewer Pole Adapter

FA-1



Solid Finned Sewer Nozzle Skid Extension

Style: 1", 3/4", 1/2"; Size: 4", 6", 8", 10", 12", 15"



Special Wheeled Sewer Nozzle Extension Skid

Style: 1", 3/4"; Size: 6", 8", 10", 12", 15"



Standard Thickness Concave Root Saw (Blade Only)

Size: 3", 4", 6", 8", 10", 12", 15"



Straight Style Sewer Nozzle Extension

Size: 1", 3/4", 1/2"



Vac-Trap Debris Catcher – Camel® & Irrigation®

Type: 6", 8"; Size: 6", 8", 10", 12", 15", 18", 24"



Vac-Trap Debris Catcher – Vactor® & Vac-Con®

Type: 6", 8"; Size: 6", 8", 10", 12", 15", 18", 24"



Vac-Trap Sewer Debris Catcher – Aquatech®

Type: 6", 8"; Size: 6", 8", 10", 12", 15", 18", 24"



Vac-Trap Sewer Grit Catcher – Aquatech®

Type: 6", 8"; Size: 6", 8", 10", 12", 15", 18", 24"



Vac-Trap Sewer Grit Catcher – Camel® & Irrigation®

Type: 6", 8"; Size: 6", 8", 10", 12", 15", 18", 24"



Vac-Trap Sewer Grit Catcher – Vactor® & Vac-Con®

Type: 6", 8"; Size: 6", 8", 10", 12", 15", 18", 24"



"Shorty" Wire Style Sewer Nozzle Extension

Style: 1", 3/4"



Sewer Aluminum Debris Basket Cylinder with 25' Poly Rope

Size: 6", 8", 10", 12", 15"



Sewer Debris Basket Cylinder with 25' Poly Rope

Size: 6", 8", 10", 12", 15", 18", 24"



Sewer Debris Catcher for Use with 25' Poly Rope

Size: 6", 8", 10", 12", 15", 18", 24"

CLEAN THE LINE, CATCH THE DEBRIS

JETTING & DEBRIS

We carry nozzle extensions, skids, proofers, root cutters and debris catchers for your jetter.



Sewer Extendable Debris Grabber

Size: 5' to 15', 7' to 21'



Sewer Grit Catcher for Use with 25' Poly Rope

Size: 6", 8", 10", 12", 15", 18", 24"



Versi-Clam Sewer Debris Removal Tool

Style: 12", 16"; Size: 6, 7, 8, 9, 10, 11, 12, 14, 16, 18, 20, 25

CONTINUOUS, SECTIONAL AND PLUMBER RODS

SEWER RODS

We carry tools, couplings and cutters for continuous, sectional and plumber sewer rod systems.



Adapter Coupling for Continuous Sewer Rod

Type: .375 Set Screw to .461 Fine LH (8 sizes); Thread Type: 3/8", 5/16"



Auger for Continuous Sewer Rod

Type: Set Screw, Direct Hook; Pipe Size: 2", 3", 4", 5", 6", 8", 10"



Bullet Tool for Continuous Sewer Rod

Type: Set Screw, Direct Hook



Continuous Rod – Sewer Rodder Replacement Wire

Type: .375, .393, .415, .461; Length: 1000' to 2000' (11 sizes)



Continuous Sewer Wire Pick Up Tool – 3/8" Coarse Threaded Nut

CWPU



Direct Hook Auger Coupling for Continuous Sewer Rod Systems

Auger Size: 3" / 4" / 5", 6" / Up; Coupling Size: .375, .393, .415, .461



Direct Hook Root Saw Coupling – Continuous Sewer Rod

Coupling Size: .375, .393, .415, .461



Direct Hook Square Bar Coupling – Continuous Sewer Rod

Type: .375, .393, .415, .461



Dura-Max Concave Root Saw – For Continuous Sewer Rod

Type: Set Screw, Direct Hook; Pipe Size: 3", 4", 5", 6", 8", 10", 12", 15", 18"



Dura-Max Flat Root Saw – For Continuous Sewer Rod

Type: Set Screw, Direct Hook; Pipe Size: 3", 4", 5", 6", 8", 10", 12", 15", 18"



Nuts for Continuous Sewer Rod

Type: .375 Right to .461 Left (8 sizes)



Sand Leader for Continuous Sewer Rod

Type: Set Screw, Direct Hook



Set Screw Auger Coupling for Continuous Sewer Rod Systems

Auger Size: 3" / 4" / 5", 6" / Up; Coupling Size: .375, .393, .415, .461



Set Screw Root Saw Coupling – Continuous Sewer Rod

Coupling Size: .375, .393, .415, .461



Set Screw Square Bar Coupling – Continuous Sewer Rod

Type: .375, .393, .415, .461



Spear Head 2" or 4" for Continuous Sewer Rod

Size: 2", 4"; Type: Set Screw, Direct Hook

CONTINUOUS, SECTIONAL AND PLUMBER RODS

SEWER RODS

We carry tools, couplings and cutters for continuous, sectional and plumber sewer rod systems.



Square Bar Corkscrew for Continuous Sewer Rod
Type: Set Screw, Direct Hook; Pipe Size: 2″, 3″, 4″, 5″, 6″, 7″, 8″, 10″, 12″



Standard Thickness Concave Root Saw – For Continuous Sewer Rod
Type: Set Screw, Direct Hook; Pipe Size: 3″, 4″, 5″, 6″, 8″, 10″, 12″, 15″, 18″, 20″



Standard Thickness Flat Root Saw – For Continuous Sewer Rod
Type: Set Screw, Direct Hook; Pipe Size: 3″, 4″, 5″, 6″, 8″, 10″, 12″, 15″, 18″



Swivel Bullet Pull Out for Continuous Sewer Rod
Type: Set Screw, Direct Hook



and 4″ Auger Couplings with Side Bolt for Sectional Sewer Rod
Rod Size: 5/16″, 3/8″



and Up Auger Coupling with Side Bolt for Sectional Sewer Rod
Rod Size: 5/16″, 3/8″



Assembly Turning Handle for Sectional Sewer Rod
Style: 5/16″, 3/8″



Assembly Wrench for Sectional Sewer Rod – Tightening Rod Connection
Style: 5/16″, 3/8″



Auger for Sectional Sewer Rod – 5/16″ or 3/8″
Rod Size: 5/16″, 3/8″; Pipe Size: 2″, 3″, 4″, 5″, 6″, 8″, 10″

Bar Turning Handle for Sectional Sewer Rod – Short Manual Turns
Style: 5/16″, 3/8″



Bullet Tool for Sectional Sewer Rod – 5/16″ or 3/8″
Rod Size: 5/16″, 3/8″



Corkscrew for No.5 Style Sectional Sewer Rod – 5/16″
P5-2M 2″ Pipe



Corkscrew for No.5 Style Sectional Sewer Rod – 5/16″
P5-4M 4″ Pipe



Curved Versa-Cutter Blade for Sectional Sewer Rod – 5/16″ or 3/8″
Size: 4″, 6″, 8″, 10″, 12″, 15″, 18″



Double Corkscrew for No.5 Style Sectional Sewer Rod – 5/16″
P5-3M 4″ Pipe



Double Round Stock Corkscrew for Sectional Sewer Rod – 5/16″ or 3/8″
Style: 5/16″, 3/8″; Size: 3″, 4″, 6″

CONTINUOUS, SECTIONAL AND PLUMBER RODS

SEWER RODS

We carry tools, couplings and cutters for continuous, sectional and plumber sewer rod systems.



Drive Spud for Sectional Sewer Rod
Rod Size: 5/16", 3/8"



Flat Versa-Cutter Blade for Sectional Sewer Rod – 5/16" or 3/8"
Size: 6", 8", 10", 12", 15", 18"



Heavy Duty Concave Root Saw (Dura-Max) for Sectional Sewer Rod
Rod Size: 5/16", 3/8"; Pipe Size: 3", 4", 5", 6", 8", 10", 12", 15", 18", 20"



Heavy Duty Flat Root Saw (Dura-Max) for Sectional Sewer Rod
Rod Size: 5/16", 3/8"; Pipe Size: 3", 4", 5", 6", 8", 10", 12", 15", 18", 20"



Lateral Locator for Sectional Sewer Rod – 5/16" or 3/8"
Rod Size: 5/16", 3/8"



Pick Up Tool for No.5 Style Sectional Sewer Rod – 5/16"
P5-7M



Pick-Up Tool for Sectional Sewer Rod
Rod Size: 5/16", 3/8"



Pull Out Tool for Sectional Sewer Rod – Push/Pull Tool
Style: 5/16", 3/8"

Pull Out Turning Handle for Sectional Sewer Rod – Push/Pull/Turn
Style: 5/16", 3/8"



Rod Adapter Coupling for Sectional Sewer Rod
Type: 3/8" Fine LH X 5/16", 5/16" Fine LH X 3/8"



Root Cutter for No.5 Style Sectional Sewer Rod – 5/16"
P5-5-2M 2" Pipe



Root Cutter for No.5 Style Sectional Sewer Rod – 5/16"
P5-5-3M 3" Pipe



Root Cutter for No.5 Style Sectional Sewer Rod – 5/16"
P5-5-4M 4" Pipe



Root Cutter for No.5 Style Sectional Sewer Rod – 5/16"
P5-5-6M 6" Pipe



Root Saw Coupling with Side Bolt for Sectional Sewer Rod
Rod Size: 5/16", 3/8"



Round Rod Puller for Sectional Sewer Rod – 1/4" to 3/8"
MRP-1

CONTINUOUS, SECTIONAL AND PLUMBER RODS

SEWER RODS

We carry tools, couplings and cutters for continuous, sectional and plumber sewer rod systems.



Round Stock Corkscrew for Sectional Sewer Rod – 5/16" or 3/8"

Style: 5/16", 3/8"; Size: 1.5", 2", 2.5", 3", 4", 6"



Sand Corkscrew for Sectional Sewer Rod – 5/16" or 3/8"

Rod Size: 5/16", 3/8"



Sand Leader for Sectional Sewer Rod – 5/16" or 3/8"

Rod Size: 5/16", 3/8"



Sectional Rod Couplings for Sewer Rod Systems

Size: 5/16", 3/8"



Selecto Spring Blade for Sectional Sewer Rod – 5/16" or 3/8"

Size: 6", 8", 10", 12", 15"



Spear Head for Sectional Sewer Rod – 2" or 4" Head

Head Size: 2", 4"; Rod Size: 5/16", 3/8"



Spear Head Tool for No.5 Style Sectional Sewer Rod – 5/16"

P5-6M



Square Bar Corkscrew Coupling for Sectional Sewer Rod

Rod Size: 5/16", 3/8"



Square Bar Corkscrew for Sectional Sewer Rod – 5/16" or 3/8"

Rod Size: 5/16", 3/8"; Pipe Size: 2", 3", 4", 5", 6", 7" (Special Size), 8", 10", 12"



Standard Concave Root Saw for Sectional Sewer Rod – 5/16" or 3/8"

Rod Size: 5/16", 3/8"; Pipe Size: 3", 4", 5", 6", 8", 10", 12", 15"



Standard Flat Root Saw for Sectional Sewer Rod – 5/16" or 3/8"

Rod Size: 5/16", 3/8"; Pipe Size: 3", 4", 6", 8", 10", 12", 15"



Swivel Bullet Pull Out Tool for Sectional Sewer Rod – 5/16" or 3/8"

Rod Size: 5/16", 3/8"



Swivel Loop Tool for Sectional Sewer Rod – 5/16" or 3/8"

Rod Size: 5/16", 3/8"



Versa-Cutter 3-Blade Chuck for Sectional Sewer Rod – 5/16" or 3/8"

Style: 5/16", 3/8"

Winters Double Root Saw Coupling for Sectional Sewer Rod

Rod Size: 5/16", 3/8"



Assembly Tool for No.5 Style Plumber Sewer Rod – 1/4"

P5-8

CONTINUOUS, SECTIONAL AND PLUMBER RODS

SEWER RODS

We carry tools, couplings and cutters for continuous, sectional and plumber sewer rod systems.



Assembly Tool for "B" Plumber Sewer Rod – 1/4"
PB-7




Corkscrew for No.5 Style Plumber Sewer Rod – 1/4"
P5-2 2" Pipe



Corkscrew for No.5 Style Plumber Sewer Rod – 1/4"
P5-4 4" Pipe



Corkscrew for "B" Plumber Sewer Rod – 1/4"
PB-4 2" Pipe



Corkscrew for "B" Plumber Sewer Rod – 1/4"
PB-3 4" Pipe



Double Corkscrew for No.5 Style Plumber Sewer Rod – 1/4"
P5-3 4" Pipe

Electric Drill Adapter for No.5 Style Plumber Sewer Rod – 1/4"
P5-9




Pick Up Tool for No.5 Style Plumber Sewer Rod – 1/4"
P5-7



Pick Up Tool for "B" Plumber Sewer Rod – 1/4"
PB-2



Pull Out Turning Handle with Hex Center for No.5 Style Plumber Sewer Rod – 1/4"
P5-10



Rod Frame for No.5 Style Plumber Sewer Rod – 1/4"
P5-1



Root Cutter for No.5 Style Plumber Sewer Rod – 1/4"
P5-5-2 2" Pipe



Root Cutter for No.5 Style Plumber Sewer Rod – 1/4"
P5-5-3 3" Pipe



Root Cutter for No.5 Style Plumber Sewer Rod – 1/4"
P5-5-4 4" Pipe



Root Cutter for "B" Plumber Sewer Rod – 1/4"
PB-5-3 3" Pipe



Root Cutter for "B" Plumber Sewer Rod – 1/4"
PB-5-4 4" Pipe

CONTINUOUS, SECTIONAL AND PLUMBER RODS

SEWER RODS

We carry tools, couplings and cutters for continuous, sectional and plumber sewer rod systems.



Spear Head for No.5 Style Plumber Sewer Rod – 1/4"
P5-6



Spear Head for "B" Plumber Sewer Rod – 1/4"
PB-6

Tapered Corkscrew for "B" Plumber Sewer Rod – 1/4"
PB-10 2" Pipe



Tapered Corkscrew for "B" Plumber Sewer Rod – 1/4"
PB-9 4" Pipe

Turning Handle for "B" Plumber Sewer Rod – 1/4"
PB-8



Aluminum Bell End Hose Coupling for Sewer Rodder
MBA-1



Aluminum Male End Hose Coupling for Sewer Rodder
MAE-1



Aluminum Male End Hose Coupling with Slip Ring for Sewer Rodder
MAE-1S



Below Freezing Green Sewer Rod Guide Hose – Flex-Metallic Liner
Material: Aluminum, Steel; Size: 7', 10', 15', 18', 20', 22', 25'



Black Heavy Duty Sewer Rod Guide Hose – Flex Metallic Liner
Material: Aluminum, Steel; Size: 7', 10', 15', 18', 20', 22', 25'



Blue Lightweight Sewer Rod Guide Hose – Flex Metallic Liner
Material: Aluminum, Steel; Size: 7', 10', 15', 18', 20', 22', 25'



Female X Female Coupler for Sewer Rod Guide Hose Extensions
MSC-8



Lightweight Rod Guide Brace with Chain and Rope for Sewer Rodder
MLMB-2



Male X Female Coupler for Sewer Rod Guide Hose Extension
MSC-9



Rod Guide Triangle Hose Guide Stand for Sewer Rodder
MRS-1



Sewer Rod Guide Bell for Rod Guide Hose Entry
MGB-1

CONTINUOUS, SECTIONAL AND PLUMBER RODS

SEWER RODS

We carry tools, couplings and cutters for continuous, sectional and plumber sewer rod systems.



Sewer Rod Guide Brace with Steel Ring for Rod Guide Bell
MLMB-1



Sewer Rod Guide Hose Coupling Clamps with Sets of 2 Bolts
MRGH-LC



Sewer Rod Insert Guides for Rod Guide Hose
MAL-1



Super Heavy Duty Black Sewer Rod Guide Hose – Steel Spring Liner
Material: Aluminum, Steel; Size: 7', 10', 15', 18', 20', 22', 25'



Heavy Duty Concave Sewer Root Saw (Dura-Max) – Blade Only
Pipe Size: 3", 4", 5", 6", 8", 10", 12", 15", 18", 20"



Heavy Duty Flat Sewer Root Saw (Dura-Max) – Blade Only
Pipe Size: 3", 4", 5", 6", 8", 10", 12", 15", 18", 20"



Root Saw Chuck for Sewer Rod
AW2104



Spring Blade Chuck for Sewer Rod
AW2107



Standard Concave Sewer Root Saw – Blade Only
Pipe Size: 3", 4", 5", 6", 8", 10", 12", 15"



Standard Flat Sewer Root Saw – Blade Only
Pipe Size: 3", 4", 6", 8", 10", 12", 15"



Versa Chuck 3 Blade Chuck – Direct Hook Type for Sewer Rod
Coupling Size: .375, .393, .415, .461



Versa Chuck 3 Blade Chuck – Set Screw Type for Sewer Rod
Coupling Size: .375, .393, .415, .461

Winter Double Root Saw Coupling – Sewer Pipe Cleaning Tool
Type: Set Screw, Direct Hook



Auger Chuck for Sewer Rod
AW2105



Combination Chuck for Sewer Rod
AW2108



Square Bar Corkscrew Chuck for Sewer Rod
AW2106

CONTINUOUS, SECTIONAL AND PLUMBER RODS

SEWER RODS

We carry tools, couplings and cutters for continuous, sectional and plumber sewer rod systems.



Sewer Rod Reel Stand for Carry-All Trailer

MEZ-3



Sewer Rod Reel Stand – Street Stand

MEZ-2



Sewer Rod Storage Reel – Holds Up to 200 Each of 39" Rods

MEZ-1



Camlock Style Coupling – Steel Female End for Sewer Rodder

MSF-1



Camlock Style Coupling – Steel Male End for Sewer Rodder

MSM-1



Left Hand Fine Thread Nut for Sewer Rods

Size: 5/16", 3/8"



Replacement Adapter Rod for Sewer Rod Systems

Adapter Length: Standard 8", Super Short 4.5"; Style: 5/16", 3/8"



Right Hand Coarse Thread Nut for Sewer Rods

Size: 5/16", 3/8"



Rod Puller Hitch for Sewer Rods

MRP-2



Sewer Rod Bending Kit

Size: .375, .393, .415, .461



Sewer Rod Loading Frame – Heavy Duty 6-Spoke

RLF-HD



Snap-On Pliers for Cleaning Sewer Rod

MPLY-1



Spare Wiper Felt for Sewer Rod Cleaning

MPLY-2



Threadless Quick Coupling for Sewer Rod Systems

Rod Size: 5/16", .375", .393"

COMPLETE RODS AND PLUMBER KITS

SEWER RODS

We supply complete sectional rods and ready-to-work plumber rod kits.

PLUMBER KIT



"B" Plumber Complete Kit – Sewer Rod Kit for 1/4" Rods

Complete "B" plumber sewer rod kit with 17 × 1/4" × 6' rods – Up to 106' reach for small diameter sewer and drain...

PB-SET

PLUMBER KIT



"No.5" SET Complete Kit – No.5 Style Plumber Sewer Rod 1/4"

Complete No.5 style plumber sewer rod kit with 110' reach and multiple sewer cleaning tools – Includes spring...

P5-SET

COMPLETE ROD



Premium Sewer Rod Complete

Premium Sectional Sewer Rod Assembly with Coupling and Threaded Nuts The Premium Sewer Rod Complete ...

Rod Diameter: 5/16", 3/8"; Length: 36", 39", 48", 60", 72"

COMPLETE ROD



Sewer Rod Complete for "B" Plumber Rod – 1/4" x 6'

Sectional 1/4" sewer rod with round "B" couplings and nuts – Provides flexibility for straight sewer line runs

PB-1

ORDER BY PHONE OR ONLINE

WE CARRY TOOLING FOR CONTINUOUS, SECTIONAL AND PLUMBER RODS.

CALL OR TEXT (407) 900-1091

TRUGRITTRACTION.COM

TruGrit Traction Inc.
PO Box 2084
Winter Park, FL 32790

MORE THAN WHEELS

WE CARRY QUALITY PIPELINE VIDEO INSPECTION EQUIPMENT AND PARTS.



SPACERS



KIEL STICKS



MANHOLE PROTECTORS



HUBS FOR YOUR CRAWLER



DEBRIS SCOOPS



DOWNHOLE ROLLERS



INSPECTION CAMERAS



POLES & MANHOLE TOOLS

CALL OR TEXT **(407) 900-1091**

TRUGRITTRACTION.COM

TruGrit Traction Inc. is an independent aftermarket supplier and is not approved, sponsored or endorsed by, or affiliated with, any equipment manufacturer named in this catalog, including Cues Inc., RAUSCH Electronics USA LLC, Envirosight LLC and Rapid View LLC. Cues is a registered trademark of Cues Inc. RAUSCH is a registered trademark of RAUSCH Electronics USA LLC. Envirosight is a registered trademark of Envirosight LLC. IBAK is a registered trademark of Rapid View LLC. All other brand names and trademarks are the property of their respective owners.